

60-70mm² Ring Cable Lugs For Electrical Connections Various Shapes Available

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNB
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

- Finish: Tin Plated
- Color: Silver
- Temperature Range: -40°C To +105°C
- Package: Bag, Carton, Reel
- Material: Copper
- Product Name: Ring Cable Lugs
- Application: Electrical Connections
- Shape: Ring
- Highlight: 70mm² Ring Cable Lugs,
60mm² Ring Cable Lugs,
70mm² terminal lug insulated

Product Description

Product Description:

A **non-insulated terminal** is an electrical connector that is used for connecting or fastening a wire without an insulation layer. It is generally made out of metal materials and is widely used in various fields, such as electrical and electronic equipment, the automotive industry, and home appliances.


In terms of material, non-insulated terminals are usually composed of conductive materials like copper and aluminum, which exhibit good conductivity properties. Additionally, they come in many shapes and sizes, ranging from round, flat, U-shaped, F-shaped and many more, in order to accommodate different connection requirements. The terminals can be secured on the wire via bolting, crimping, or welding.



Non-Insulated with Brazed Seam

RING TERMINALS

Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE		ITEM NO	DIMENSION mm								P/N	QTY BOX
	mm2 (A.W.G)	Metric American		E	W	F	L	B	D	d	T		
60 (1/0)	6	1/4"	RNB60-6	6.4	22.0	20.7	49.7	18.0	15.4	11.4	1.8	T-12091884	100
	8	5/16"	RNB60-8	8.4								T-12091885	
	10	3/8"	RNB60-10	10.5								T-12091886	
	11	7/16"	RNB60-11	11.5								T-12091887	
	12	1/2"	RNB60-12	13.0								T-12091888	
	13	9/16"	RNB60-13	14.0	32.0	23.5	57.5	18.0	15.4	11.4	1.8	T-12091889	
	14	9/16"	RNB60-14	15.0								T-12091890	
	16	5/8"	RNB60-16	17.0								T-12091891	
	18	11/16"	RNB60-18	19.0								T-12091892	
	20	3/4"	RNB60-20	21.0								T-12091893	
	22	7/8"	RNB60-22	23.0								T-12091894	
70 (2/0)	6	1/4"	RNB70-6	6.4	24.0	20.0	50.0	18.0	17.5	13.3	2.0	T-12091895	
	8	5/16"	RNB70-8	8.4								T-12091896	
	10	3/8"	RNB70-10	10.5								T-12091897	
	11	7/16"	RNB70-11	11.5								T-12091898	
	12	1/2"	RNB70-12	13.0								T-12091899	
	13	9/16"	RNB70-13	14.0	32.0	26.0	61.0					T-12091900	
	14	9/16"	RNB70-14	15.0								T-12091901	
	16	5/8"	RNB70-16	17.0								T-12091902	
	18	11/16"	RNB70-18	19.0								T-12091903	
	20	3/4"	RNB70-20	21.0								T-12091904	
	22	7/8"	RNB70-22	23.0								T-12091905	

TLC TERMINALS, INC.
54 Terminals

Technical Parameters:

Property	Value
Brand	TLC
Type	Cable Lugs

Color	Silver
Shape	Ring
Package	Bag, Carton, Reel
Material	Copper
Finish	Tin Plated
Temperature Range	-40°C To +105°C
Application	Electrical Connections
Product Name	Ring Cable Lugs
Keywords	Ring terminal lug, copper ring terminal, non-insulated ring terminal

Applications:

TLC's Ring Cable Lugs are the perfect choice for a variety of electrical applications, providing excellent electrical conductivity and mechanical strength. The ring terminal lugs are made of high-quality copper and designed to withstand even the toughest conditions. The ring cable lug provides a secure connection between two conductors, preventing arcing and sparking. The silver color of the copper material provides a sleek and stylish look, and the lug itself is UL, CUL, and CE certified. The lugs come in a variety of sizes, with a minimum order quantity of 1000 pieces. The price for each lug is USD, and the lugs can be packaged in a bag, carton, or reel for added convenience. Delivery time is 5-30 working days, and T/T payment terms are accepted. TLC's Ring Cable Lugs have an impressive supply ability of 1KK pieces per month. Whether you're working on a residential or commercial project, TLC's Ring Cable Lugs are an ideal choice for reliable and secure connections.

Customization:

TLC Ring Cable Lugs are the perfect solution for electrical connections. Our lugs are made from high-quality copper and come with UL, CUL, and CE certifications. They have a temperature range of -40°C to +105°C and come with a Tin Plated finish. With a minimum order quantity of 1000, our lugs come in a variety of packages, including bag, carton, and reel. Delivery time is 5-30 working days and payment terms are T/T. We can supply up to 1KK pcs per month.

Support and Services:

Ring Cable Lugs Technical Support and Service

Our team of experts is available to provide technical support and service for our Ring Cable Lugs products. We are committed to providing customers with comprehensive assistance for installation and use of our products. Our team is available to answer any questions or concerns about our products and can provide troubleshooting advice if needed. We also offer a warranty on our products, to ensure that our customers can use them with confidence. If you need technical support or service for our Ring Cable Lugs products, please contact us at XXX-XXX-XXXX or email us at XXX@XXX.com.

Packing and Shipping:

Packaging and Shipping of Ring Cable Lugs

The Ring Cable Lugs are packaged in a cardboard box, which contain the product and any accessories. The box is then sealed to prevent any damage or tampering. The box is then placed in a larger shipping box which is cushioned with bubble wrap or other protective material. The shipping box is then labelled with the shipping address and other relevant information. The box is then sealed and sent to the customer by an appropriate shipping service.

FAQ:

Ring Cable Lugs - Q&A

- Q: What is the Brand Name of the Ring Cable Lugs?
A: The Brand Name of the Ring Cable Lugs is TLC.
Q: What is the Model Number of the Ring Cable Lugs?
A: The Model Number of the Ring Cable Lugs is RNB.
Q: Where are the Ring Cable Lugs from?
A: The Ring Cable Lugs are from China.
Q: What certifications are the Ring Cable Lugs certified?
A: The Ring Cable Lugs are certified with UL, CUL, CE.
Q: How many Ring Cable Lugs are required for a minimum order?
A: The minimum order quantity for the Ring Cable Lugs is 1000 pieces.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City