

Bullet Male Quick Disconnects Tin Plated Cable Lug Connector For Industrial Connection

Basic Information

• Place of Origin: China TLC • Brand Name:

UL, CUL, CE · Certification:

• Model Number: MPD • Minimum Order 1000

Quantity:

USD • Price:

· Packaging Details: bag, carton

• Delivery Time: 5-30 working days

• Payment Terms: T/T

· Supply Ability: 1KK pcs per month



Product Specification

· Current Rating: Full Range

Electrical Connector · Usage:

• Shape: Round

• Product Name: Cable Lug Connector

• Surface Finish: Tin Plated · Durability: Excellent

· Color: Red, Green, Yellow, Blue

Material: Copper


• Highlight: male bullet connector Quick Disconnects TLC,

male bullet connector Tin Plated TLC,

Cable Lug Connector CUL

BULLET - FEMALE QUICK DISCONNECTS


Material Insulation: Vinyl Terminal Body: Brass Metallic Sleeve: Copper Plating: Tin



WIRE RANGE mm' (A.W.G.)	ITEM NO.	DIMENSIONmm(inch)										ОТУ
		W	F	L	8	D	С	T.	COLOR	STANDARD	TOOLS	QTY BOX
0.5-1.5 (22-16)	FRD1-156	3.9 (.153)	7.0 (.276)	23.3 (,917)	10.5 (413)	3.8 (.150)	1.7	0.4 (.016)	Red		TLC MODEL TLC2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34	1,000
1.5-2.5 (16-14)	FRD2-156	3.9 (.153)	7.0 (.276)	23.3 (917)	10.5 (.413)	4.7 (.185)	23	0.4 (.016)	Blue		TLC MODEL TLC2000A WITH DIE INDEX	1,000
	FRD2-195	4.9 (.193)	7.0 (.276)								COLOR: BLUE OR IZUMI MODEL 34	1,000
4-6 (12-10)	FRD5-195	4.9 (193)	7.0 (,276)	25.1 (.988)	12.5 (492)	6.2 (244)	34	0,45(,018)	Yellow		TLC MODEL TLC2000A WITH DIE INDEX COLOR:YELLOW OR IZUMI MODEL 5	500

BULLET - MALE QUICK DISCONNECTS

Material Insulation: Vinyl Terminal Body: Brass Metallic Sleeve: Copper



WIRE RANGE mm ⁱ (A.W.G.)	ITEM NO.	DIMENSIONmm(inch)							COLOR	CTAMBARD	TOOLS	оту
		w	F	L	В	D	С	Т	COLOR	STANDARD	10015	QTY BOX
0.5-1.5 (22-16)	MPD1-156	4.0 (157)	8.5 (.335)	21.5 (.846)	10.5 (.413)	3.8 (.150)	1.7	0.4 (.016)	Red		TLC MODEL TLC2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34	1,000
1.5-2.5 (16-14)	MPD2-156	4.0 (157)	8.5 (.335)	21.7 (.854)	10.5 (.413)	4.7 (185)	2.3	0.4 (.016)	Blue		TLC MODEL TLC2000A WITH DIE INDEX COLOR: BLUE	1,000
	MPD2-195	5.0 (.197)	8.5 (.335)	21.2 (.835)							OR IZUMI MODEL 34	
4-6 (12-10)	MPD5-195	5.0 (197)	8.5 (.335)	24.0 (.945)	13.0 (.512)	6.2 (244)	3.4	0.4 (.016)	Yellow		TLC MODEL TLC2000A WITH DIE INDEX COLOR: YELLOW OR IZUMI MODEL 5	500

Product Description:

Cable lug connectors are male connector cable lugs, designed for industrial connections. Made of high-quality materials, they offer excellent durability and come in four colors: red, green, yellow, and blue. With a tin plated surface finish, these male and female terminal lugs provide secure electrical connections and are suitable for a variety of applications. In addition, they are easy to use and can withstand extreme temperatures.

Technical Parameters:

Cable Lug Connector

Attribute	Specification

Color Red, Green, Yellow, Blue

Surface Finish Tin Plated

Shape Round

Current

Full Range

Rating

Product Name Cable Lug Connector

Material Copper

Application **Industrial Connection Electrical Connector** Usage

Durability Excellent

Female connector cable lug, Male and Female terminal lug, Cable lug Connector

connector

Applications:

TLC Cable Lug Connector is designed to provide reliable electrical connections between industrial devices. It is made of high quality copper material which can meet the requirements of UL, CUL, and CE certification. It has full-range current rating to ensure stable and safe performance. The Female connector cable lug, Male and Female terminal lug, Male and Female terminal lug connector are designed for easy installation and simple usage. The minimum order quantity is 1000 and the price is USD. The package is available in bag or carton. The delivery time is 5-30 working days and the payment terms is T/T. The supply ability is 1KK pcs per month.

TLC Cable Lug Connector is widely used in industrial connection. It is suitable for a variety of electrical connections, such as electric motors, transformers, electric power systems, and more. It is designed to provide secure and safe connections for heavy duty applications. It is also easy to install and remove. The connector has an ergonomic design which makes it convenient to use. This connector is an ideal choice for industrial applications.

Support and Services:

Cable Lug Connector Technical Support and Service

We provide technical support and service for our Cable Lug Connector products. Our technical support team is available 24/7 to help you with any technical issues you may have. We also offer a warranty on all of our Cable Lug Connector products so that you can be assured of quality and reliability. Our team of technicians can help you with installation, maintenance, and troubleshooting of your Cable Lug Connector products. If you have any questions or concerns, please don't hesitate to contact

Packing and Shipping:

Packaging and Shipping

Cable Lug Connector products are packaged and shipped in accordance with industry standards. The product is securely wrapped in bubble wrap and placed in a cardboard box. The box is then sealed with packing tape to ensure safe and efficient transit. Additionally, all our packaging is recyclable and environmentally friendly.

FAQ:

Cable Lug Connector **Brand Name: TLC** Place of Origin: China Certification: UL, CUL, CE Minimum Order Quantity: 1000

Price: USD

Packaging Details: bag, carton Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK pcs per month

Questions and Answers

Q1: How many Cable Lug Connectors can TLC supply per month? A1: TLC can supply 1KK pcs Cable Lug Connectors per month.

Q2: Does TLC Cable Lug Connectors have UL, CUL, CE certifications? A2: Yes, TLC Cable Lug Connectors have UL, CUL, CE certifications.

Q3: What's the minimum order quantity of TLC Cable Lug Connectors?

A3: The minimum order quantity of TLC Cable Lug Connectors is 1000.

Q4: What's the price for TLC Cable Lug Connectors? A4: The price for TLC Cable Lug Connectors is USD.

Q5: How about the packaging for TLC Cable Lug Connectors?

A5: The packaging for TLC Cable Lug Connectors is bag and carton.









4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City