

0.2-2.5mm² DIN 46234 Non Insulated Ring Terminals With Brazed Seam DRNB Cable Ring Terminal

Our Product Introduction


Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: DRNB
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

- Tin Plated: Yes
- Temperature Rating: 105°C
- Product Name: Non Insulated Ring Terminals
- Barrel Type: Closed
- Color: Silver
- Insulation: Non-Insulated
- RoHS Compliant: Yes
- Material: Copper
- Highlight: **DIN 46234 Non Insulated Ring Terminals, Non Insulated Ring Terminals DRNB, insulated ring type lugs 2.5mm²**




Product Description



Non-Insulated with Brazed Seam

RING TERMINALS
DIN 46234

Material
Terminal Body: Copper
Plating: Tin
Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO	DIMENSION mm							P/N	QTY BOX
mm2 (A.W.G)	Metric		E	W	F	B	D	d	T		
0.2-0.5 (26-20)	3	DRNB2-0.5	2.2	5.0	6.0	4.0	2.0	1.0	0.5	T-12092901	
	2.5	DRNB2.5-0.5	2.7							T-12092902	
	3	DRNB3-0.5	3.2							T-12092903	
	3.5	DRNB3.5-0.5	3.7	6.0	8.0					T-12092904	
	4	DRNB4-0.5	4.3	6.5	8.0					T-12092905	
	5	DRNB5-0.5	5.3	8.0	8.0					T-12092906	
0.5-1.5 (22-16)	2	DRNB2-1	2.2	6.0	6.0	5.0	4.0	1.6	0.8	T-12092907	
	2.5	DRNB2.5-1	2.7							T-12092908	
	3	DRNB3-1	3.2							T-12092909	
	3.5	DRNB3.5-1	3.7							T-12092910	
	4	DRNB4-1	4.3	7.0	6.5					T-12092911	
	4	DRNB4-1	4.3	8.0	7.0					T-12092912	
	5	DRNB5-1	5.3	8.0	7.5					T-12092913	
	5	DRNB5-1	5.3	10.0	8.0					T-12092914	
	6	DRNB6-1	6.5	10.0	8.0					T-12092915	
	6	DRNB6-1	6.5	11.0	10.0					T-12092916	
	8	DRNB8-1	8.4	14.0	12.0					T-12092917	
	10	DRNB10-1	10.5	14.0	12.0					T-12092918	
	10	DRNB10-1	10.5	18.0	14.0					T-12092919	
1.5-2.5 (16-14)	3	DRNB3-2.5	3.2	6.0	6.0	5.0	4.5	2.3	0.8	T-12092920	
	3.5	DRNB3.5-2.5	3.7							T-12092921	
	4	DRNB4-2.5	4.3	6.8	6.6					T-12092922	

Product Description:

A non-insulated terminal is an electrical connector used for connecting or securing a wire without an insulating function. Its construction is typically metal-based, providing a reliable electrical connection.

Due to its strong electrical connection capability, this type of terminal is widely used in many industries such as in electrical and electronic equipment, automotive industry, home appliances and more.

Features:

Non-insulated terminals are typically constructed from conductive materials, including copper and aluminum, due to their superior electrical conductivity. This allows for reliable and secure connection. These terminals come in a diverse array of shapes and sizes, such as round, flat, U-shaped, and F-shaped. Once the design is chosen to meet a particular connection need, it can be secured using either bolts, crimps, or welding.

Applications:

For applications in electronics or the automotive industry, non-insulated terminals are an excellent choice to hold wires in a fixed position. These terminals can come in different designs, such as U-shaped, which make it possible to easily clip wires into them.

Once the wire is in place, it can be secured with bolts or other fixtures. This way, the wire won't be able to move or loosen, ensuring it

remains firmly in place.

Customization:

Non Insulated Ring Terminals

Brand Name: TLC

Model Number: RNB, DRNB, OT

Place of Origin: CHINA

Certification: UL, CUL, CE

Minimum Order Quantity: 1000

Price: USD

Packaging Details: Carton

Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK pcs per month

Barrel Type: Closed

Tin Plated: Yes

Color: Silver

Material: Copper

Insulation: Non-Insulated

Support and Services:

Non Insulated Ring Terminals Technical Support and Services

At Ring Terminal, we provide comprehensive technical support and services for our Non Insulated Ring Terminals. Our highly-trained technical support team is available to provide you with assistance, advice and guidance throughout the life of your product.

Installation and Setup Support

Our technical support team is on hand to provide assistance with installation and setup of your Non Insulated Ring Terminals. Our technicians can provide remote support, or, if necessary, can come on-site to assist with your installation.

Troubleshooting and Repair

In the event that something goes wrong with your Non Insulated Ring Terminals, our technical support team is available to provide troubleshooting and repair services. Our team is knowledgeable in all aspects of Non Insulated Ring Terminals, and can provide assistance in resolving any issues you may encounter.

Training and Education

In addition to providing technical support and repair services, Ring Terminal also provides training and education services for Non Insulated Ring Terminals. Our team can provide training for any level, from beginner to expert, ensuring that you get the most out of your product.

Packing and Shipping:

Packaging and Shipping for Non Insulated Ring Terminals

Non Insulated Ring Terminals are packaged and shipped in shrink-wrapped boxes containing 10 units. The boxes are labeled with product information and placed on a pallet to ensure secure shipping.

The pallet is then secured with shrink wrap and labeled with the product information and shipment details. The pallet is loaded onto a truck or trailer for shipping. Shipping time and cost will depend on the destination.

FAQ:

What is the brand name of the Non Insulated Ring Terminals?

The brand name of the Non Insulated Ring Terminals is TLC.

What models of the Non Insulated Ring Terminals are available?

The available models of the Non Insulated Ring Terminals are RNB, DRNB and OT.

Where are the Non Insulated Ring Terminals manufactured?

The Non Insulated Ring Terminals are manufactured in China.

What certifications do the Non Insulated Ring Terminals have?

The Non Insulated Ring Terminals have UL, CUL and CE certifications.

What is the minimum order quantity for the Non Insulated Ring Terminals?

The minimum order quantity for the Non Insulated Ring Terminals is 1000.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City