

## Insulated Nylon Ring Terminal With Brazed Seam Double Crimp DIN 46237 0.2-2.5mm<sup>2</sup>

Our Product Introduction

for more products please visit us on [cableslugs.com](http://cableslugs.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNY, DRNYB, RNYD, RD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 500K - 3KK pcs per month



### Product Specification

- Barrel Type: Crimped
- Color: Red, Yellow, Blue, Black, Green
- Stud Type: Tin Plated
- Packaging Type: Carton
- Product Name: Insulated Ring Terminals
- Manufacturer: TLC
- Insulation: Vinyl, Nylon
- Packaging Quantity: 1000-50 Pieces
- Highlight: **Nylon Insulated Ring Terminal, Insulated Ring Terminal DIN 46237, double crimp electrical connectors DIN 46237**




## Product Description



Nylon Insulated with Brazed Seam

RING TERMINALS  
DIN 46237

**Material**  
Insulation: Nylon  
Terminal Body: Copper  
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NQ	DIMENSION <sup>mm</sup>							COLOR	STANDARD	TOOLS	QTY BOX
	mm <sup>2</sup>		Metric	d2	W	I	d1	D	E				
0.2-0.5	2	DRNYB2-0.5	2.2	5.0	14.0	1.0	2.3	8.0	0.5	Yellow	UL	TLC MODEL LYB-067 WITH DIE INDEX NO.0.5	1,000
	2.5	DRNYB2.5-0.5	2.7										
	3	DRNYB3-0.5	3.2	6.0	16.0								
	3.5	DRNYB3.5-0.5	3.7										
	4	DRNYB4-0.5	4.3	6.5									
	5	DRNYB5-0.5	5.3	8.0									
0.5-1.5	2	DRNYB2-1	2.2	6.0	17.0	1.6	4.0	11.0	0.8	Red	UL	TLC MODEL TLC2000A HRJ-126J WITH DIE INDEX COLOR:RED  OR IZUMI MODEL 34 WITH DIE INDEX COLOR:RED	1,000
	2.5	DRNYB2.5-1	2.7										
	3	DRNYB3-1	3.2										
	3.5	DRNYB3.5-1	3.7										
	4	DRNYB4-1	4.3	7.0	17.5								
	4	DRNYB4-1	4.3	8.0	18.0								
	5	DRNYB5-1	5.3	8.0	18.5								
	5	DRNYB5-1	5.3	10.0	19.0								
	6	DRNYB6-1	6.5	10.0									
	6	DRNYB6-1	6.5	11.0	21.0								
	8	DRNYB8-1	8.4	14.0	23.0								
	10	DRNYB10-1	10.5	14.0									
10	DRNYB10-1	10.5	18.0	25.0									
1.5-2.5	3	DRNYB3-2.5	3.2	6.0	17.0	2.3	4.5	11.0	0.8	Blue	UL	TLC MODEL TLC2000A HRJ-126J WITH DIE INDEX COLOR:BLUE  OR IZUMI MODEL 34 WITH DIE INDEX COLOR:BLUE	1,000
	3.5	DRNYB3.5-2.5	3.7										
	4	DRNYB4-2.5	4.3										

TLC TERMINALS INC.  
Terminals

29

## Product Description:

Insulated ring terminals are **electrical connectors** used for securely connecting wires to a terminal block or stud. They ensure that no electrical current can escape and cause any damage or problems. These terminals have a circular shape with a hole in the center which helps to make the attachment process simple: by using a screw or bolt.

Additionally, *insulation* is added to these terminals to protect against any electrical mishaps. It helps to guard against short circuits and other electrical related issues that could detrimentally affect the safety of the wiring.

## Features:

These terminals are constructed with insulation made from materials like PVC and nylon to safeguard the wires against any form of damage and avert possibilities of short circuits.

Moreover, the insulation also ensures electrical insulation which makes the connection stronger, safer and more reliable.

## Applications:

Insulated ring terminals are widely used for different purposes, such as automotive, marine, industrial and electrical projects. They come in different sizes and are suitable for different wire gauges and stud sizes.

The process of using an insulated ring terminal is simple and easy. First, the wire needs to be stripped of its insulation. Then, the bare end needs to be inserted into the terminal. After that, a crimping tool can be used to crimp the terminal onto the wire, thus providing a

secure and strong connection. Lastly, the terminal can be fastened onto a terminal block or stud by a screw or bolt.

## Support and Services:

### Insulated Ring Terminals Technical Support and Service

We provide technical support and service for insulated ring terminals. Our experienced technical team is available to answer any questions you may have about their installation, performance, or safety. We also offer installation and repair services to ensure that your insulated ring terminals are functioning properly.

Our technical team is available to discuss any questions you have about the products, their applications, and their performance. We are committed to providing the highest level of customer service and technical support possible. If you need help with installation or repair, our technicians are available to help you.

We also provide technical documentation to accompany our products. This includes information about the products themselves, as well as step-by-step instructions on how to install and maintain them. Our technical documents are designed to help you make an informed decision about your purchase.

## Packing and Shipping:

### Packaging and Shipping for Insulated Ring Terminals

Insulated Ring Terminals are packaged in a protective plastic bag, separated by size and color, and then placed in cardboard boxes. Each box is labeled with the product information. The boxes are then placed in shipping boxes and securely taped before being sent out. Insulated Ring Terminals are shipped either via ground or air depending on the customer's needs. Every shipment is tracked and monitored for quality control.

## FAQ:

Q1: What is Insulated Ring Terminals?

A1: Insulated Ring Terminals are electrical connectors produced by TLC, with model numbers RNY, DRNYB, RNYD, RD. They are UL, CUL, CE certified and have a minimum order quantity of 1000.

Q2: What is the price of Insulated Ring Terminals?

A2: The price of Insulated Ring Terminals is USD.

Q3: What is the package of Insulated Ring Terminals?

A3: Insulated Ring Terminals are packed in bags and cartons.

Q4: How long is the delivery time for Insulated Ring Terminals?

A4: The delivery time for Insulated Ring Terminals is 5-30 working days.

Q5: What is the payment terms for Insulated Ring Terminals?

A5: The payment term for Insulated Ring Terminals is T/T.



**TLC TERMINALS TECHNOLOGY LIMITED**



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City