

# **Continuous Cold Pressed Terminals Nylon Insulated Cord End Terminals**

#### **Basic Information**

Place of Origin: China
Brand Name: TLC
Certification: UL, CE
Model Number: RNB-PT
Minimum Order Quantity: 5000

• Price: USD 0.02-8.99 per pieces

Packaging Details: Carton
Delivery Time: 1-4 weeks
Payment Terms: T/T

Supply Ability: 10KK pcs per month



## **Product Specification**

Terminal Body: Copper
Insulation: Nylon
Temperature: 105
Plating: Tin

Highlight: Continuous Cold Pressed Ring Cable Lugs

105C

, Insulated Cord End Terminals 105C, Nylon Insulated Cord End Terminals

#### **Product Description**

A non-insulated terminal is an electrical connector used to connect or secure a wire, which is usually made of metal material and does not have an insulating function. Non-insulated terminals are widely used in electrical and electronic equipment, automotive industry, home appliances and other fields.

Non-insulated terminals are usually made of conductive materials (such as copper, aluminum, etc.) and have good conductivity properties to achieve reliable electrical connections. They come in a variety of shapes and sizes, including round, flat, U-shaped, F-shaped, etc., to suit different connection needs. Non-insulated terminals can be bolted, crimped, or welded to the wire.







### Non-Insulated with Brazed Seam

## **RING TERMINALS**

Material







RANGE	STUD SIZE		17714 140	DIMENSION mm									QTY
mm2 (A.W.G)	Metric	American	ITEM NO	E	w	F	L	В	D	d	т	P/N	вох
1.5-2.5 (16-14)	4	#8	RNBL2-4	4.3	8.5	7.4	16.5	4.8		2.3	0.8	T-12091822	1000
	5	#10	RNBS2-5	5.3 6.4								T-12091823	
	5	#10	RNBL2-5		9.5	7.4	17.0					T-12091824	
	6	1/4*	RNB2-6		12.0	11.0	21.8					T-12091825	
	8	5/16*	RNB2-8	8.4	12.0	11.0	21.8		4.1			T-12091826	
	10	3/8"	RNB2-10	10.5	13.6	13.9	25.5					T-12091827	
	12	1/2*	RNB2-12	13.0	19.2	16.0	30.4					T-12091828	
	14	9/16*	RNB2-14	15.0	27.0	21.0	39.3					T-12091829	
	16	5/16*	RNB2-16	17.0								T-12091830	
	20	3/4*	RNB2-20	21.0	1							T-12091831	
2.5-4 (14-12)	4	#8	RNB3-4	4.3	8.0	8.0	18.0	6.0	5.1	2.9	1.0	T-12091832	
	5	#10	RNBS3-5	5.3								T-12091833	
	5	#10	RNBL3-5	5.3	12.0	9.4	21.4					T-12091834	
	6	1/4*	RNB3-6	6.4								T-12091835	
	8	5/6*	RNB3-8	8.4		13.5	27.0					T-12091836	
4-6 (12-10)	3.5	#6	RNB5-3.7	3.7 4.3	7.2	6.1	15.7	- 6.0	5.6	3.4	10	T-12091837	
	4	#8	RNBS5-4									T-12091838	
	4	#8	RNBL5-4	4.3	9.5	6.1	15.7					T-12091839	
	5	#10	RNB5-5	5.3	9.5							T-12091840	
	6	1/4 "	RNB5-6	6.4	12.0	10.5	22.5					T-12091841	
	6	1/4"	RNBM5-6	6.4	12.0	13.0	25.0					T-12091842	
	8	5/16 "	RNB5-8	8.4	15.0	13.3	27.0					T-12091843	
	10	3/8"	RNB5-10	10.5								T-12091844	

TIC TERMINALS INC.
Terminals 51

# TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

Instruction than the character of an articular character of an articular character of an articular character of

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City