

Copper Insulated Round Cord End 6-26AWG For Electrical Wiring 1.5-16mm²

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: E, EN
- Minimum Order Quantity: 1000pcs
- Price: USD
- Packaging Details: Bag and Carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK - 5Kk pcs per month



Product Specification


- Package Content: 1000-50pcs
- Color: Red, Yellow, Blue, Black, Orange, Grey, Ivory, Green
- Insulation: NYLON
- Material: Copper
- Shape: Round
- Wire Gauge: 6-26AWG
- Connector Type: Cord End Terminals
- Highlight: **Copper Cord End Terminals 6AWG, Cord End Terminals 26AWG, electrical wiring terminal 16mm²**



Nylon Insulated

CORD END TERMINALS
FOR SHORT CIRCUIT
RESISTANT CONDUCTOR

Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE mm# (A.W.G.)	ITEM NO.	DIMENSION mm (in.)						FRENCH COLOR	GERMAN COLOR	DIN COLOR	TOOLS	QTY BOX
		F	L	W	B	D	C					
15 (16)	E 1508-XL	8.0 (.315)	17.4 (.685)	6.8 (.268)	9.4 (.370)	2.1 (.083)	1.8 (.071)	BLACK	RED	BLACK	TLC MODEL TLC2000L LYB-064 WITH DIE INDEX	1,000
	E 1510-XL	10.0 (.394)	19.4 (.764)									
25 (14)	E 2508-XL	8.0 (.315)	17.6 (.693)	7.8 (.307)	9.6 (.378)	2.6 (.102)	2.3 (.091)	GREY	BLUE	BLUE	TLC MODEL TLC2000L LYB-064 WITH DIE INDEX	1,000
	E 2512-XL	12.0 (.472)	21.6 (.850)									
4 (12)	E 4010-XL	10.0 (.394)	19.5 (.768)	7.8 (.307)	9.5 (.374)	3.3 (.130)	2.9 (.114)	ORANGE	GREY	GREY	TLC MODEL TLC2000L LYB-064 WITH DIE INDEX	1,000
	E 4012-XL	12.0 (.472)	21.5 (.846)									
6 (10)	E 6012-XL	12.0 (.472)	23.1 (.909)	8.3 (.327)	11.1 (.437)	4.2 (.165)	3.8 (.150)	GREEN	BLACK	YELLOW	TLC MODEL TLC2000M LYB-065 WITH DIE INDEX	1,000
10 (8)	E 10-12-XL	12.0 (.472)	23.7 (.933)	9.8 (.386)	11.7 (.461)	4.9 (.193)	4.5 (.177)	BROWN	IVORY	RED	TLC MODEL TLC2000M LYB-065 WITH DIE INDEX	1,000
16 (6)	E 16-12-XL	12.0 (.472)	25.8 (1.016)	12.2 (.480)	13.8 (.543)	6.4 (.252)	6.0 (.236)	IVORY	GREEN	BLUE	TLC MODEL TLC2000M LYB-065 WITH DIE INDEX	500

Product Description:

Cord end terminals, also referred to as cord end ferrules, are a crucial component of the electrical landscape. These terminals are constructed to provide a durable connection between the wire and the terminal block or device for maximum reliability. At TLC, our core focus is providing superior manufacturing services to customers who need reliable connections. Our cord end terminals are manufactured with only the finest quality materials and our standards of excellence are among the highest in the industry. We are proud to offer a comprehensive selection of cord end terminals ranging in size, material and style to accommodate any application.

Features:

Our cord end terminals are designed for long-term life and offer superior electrical conductivity. Their robust construction ensures reliable performance in even the most challenging environments. We provide these terminals in various sizes and styles to meet a wide range of requirements. They can be used with various wire gauges and terminal blocks for optimal efficiency. From sealed assemblies to multi-pin configurations, our cord end terminals meet the needs of a variety of applications. They are corrosion resistant and easy to install, making them the perfect choice for challenging operating conditions. Their pressure-resistant secure connections prevent wires from slipping out, providing added safety and convenience. Our cord end terminals are an ideal solution for a variety of industrial and commercial settings. With their superior performance and reliable construction, they provide optimal results in even the most rugged applications. We offer an extensive selection of sizes and styles to ensure you get the perfect fit for your needs.

Technical Parameters:

Cord end terminals make wiring easier and faster than ever. Their secure, vibration-resistant connection significantly reduces the risk of wires coming loose or getting damaged. This streamlined process, which amounts to a simple crimp and done operation, helps ensure that connection points remain reliably secure and that electric current flows smoothly from one part of the wiring system to another. What's more, cord end terminals are built to last, so you and your team don't have to worry about unexpected maintenance or repair expenses.

Applications:

At TLC, we take pride in providing high-quality cord end terminals to suit our customers' diverse needs. Our cord end terminals are manufactured with superior-grade materials and are manufactured to meet strict industry guidelines. The durable design and remarkable electrical conductivity of our cord end terminals guarantee excellent performance and stability in rigorous conditions. What's more, they come in multiple sizes and styles that can accommodate various wire diameters and terminal blocks.

Customization:

We offer custom services for **Cord End Terminals**, with specific features of **Cold press terminals, XL type Cord End, Non-insulated Cord End Terminals** from **Brand Name: TLC, Model Number: E, EN**. Our products have **UL, CUL, CE** certifications and **1000pcs** is the minimum order quantity. The price is **USD** and the package is Bag and Carton package. The delivery time is **5-30 working days**, and the payment terms is **T/T**. We are able to supply **1KK - 5Kk** pcs per month, and the package content is **1000-50pcs**. The wire gauge is **250/300MCM-26AWG**, and the shape is **Round** with insulation of **NYLON** and connector type is **Cord End Terminals**.

Support and Services:

Cord End Terminals Technical Support and Service

We provide technical support and service for our Cord End Terminals. Our team is highly qualified and experienced in this field and will provide you with the most suitable solutions. We have a wide range of services available to meet your needs including installation, troubleshooting, maintenance, and repair. Our staff is available 24/7 to answer any questions you may have and to make sure you are completely satisfied with your product.

We also provide a variety of customer training programs, to help you get the most out of your Cord End Terminals. These programs are designed to help you understand the features and functions of the product, as well as troubleshoot any issues you may have. We also offer online support services, so you can get the help you need without having to wait on hold.

Packing and Shipping:

Packaging and Shipping

Cord End Terminals are packaged in individual boxes and shipped in a single carton box. Each box is labeled with the size, type, and quantity of terminals. The carton box is labeled with the number of boxes contained within, as well as the total quantity of terminals. Care is taken to ensure that the boxes are securely packed within the carton box.

FAQ:

Cord End Terminals

FAQ

Q: What is the Brand Name?

A: The Brand Name is TLC.

Q: What is the Model Number?

A: The Model Number is E, EN.

Q: Where is the Place of Origin?

A: The Place of Origin is China.

Q: What are the Certifications?

A: The Certifications are UL, CUL, CE.

Q: What is the Minimum Order Quantity?

A: The Minimum Order Quantity is 1000pcs.

More Information

Price: USD

Packaging Details: Bag and Carton package

Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK - 5Kk pcs per month



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City