

Full Range Industrial Pluggable Connectors For Industrial Connection

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: FDNYD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month




Product Specification

- Current Rating: Full Range
- Color: Red, Green, Yellow, Blue
- Durability: Excellent
- Usage: Electrical Connector
- Application: Industrial Connection
- Shape: Round
- Surface Finish: Tin Plated
- Product Name: Cable Lug Connector
- Highlight: **Full Range electrical lug connectors CUL ,
Pluggable electrical lug connectors TLC,
Industrial copper lug connector TLC**

FEMALE QUICK DISCONNECTS

Material
Insulation: Nylon
Terminal Body: Brass
Metallic Sleeve: Copper
Plating: Tin



WIRE RANGE	NEMA TAB	ITEM NO.	DIMENSION mm (inch)							COLOR	STANDARD	TOOLS	QTY BOX
			W	F	L	B	D	C	T				
0.5-1.5 (22-16)	0.5x2.8 .020x.110	FDNYD1-110 (5)	3.2 (.126)	6.5 (.256)	19.6 (.772)				0.3 (.012)	Red	UL	TLC MODEL TLC2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34 WITH DIE INDEX COLOR: RED	1,000
	0.8x2.8 .032x.110	FDNYD1-110 (8)	3.2 (.126)										
	0.5x4.75 .020x.187	FDNYD1-187 (5)	5.0 (.197)	6.4 (.252)	20.0 (.787)								
	0.8x4.75 .032x.187	FDNYD1-187 (8)	5.0 (.197)			11.0 (.433)	4.0 (.157)	1.7 (.067)	0.35 (.014)				
	0.5x5.2 .020x.205	FDNYD1-205 (5)	5.7 (.224)	5.8 (.228)	19.5 (.768)								
	0.8x5.2 .032x.205	FDNYD1-205 (8)	5.7 (.224)										
	0.8x6.35 .032x.250	FDNYD1-250	6.6 (.260)	7.5 (.295)	21.5 (.846)								
	0.8x8.0 .032x.312	FDNYD1-312	8.2 (.323)	10.0 (.394)	25.2 (.992)				0.4 (.016)				
1.5-2.5 (16-14)	0.5x2.8 .020x.110	FDNYD2-110 (5)	3.2 (.126)	6.4 (.252)	19.6 (.772)				0.3 (.012)	Blue	UL	TLC MODEL TLC2000A WITH DIE INDEX COLOR: BLUE OR IZUMI MODEL 34 WITH DIE INDEX COLOR: BLUE	1,000
	0.8x2.8 .032x.110	FDNYD2-110 (8)	3.2 (.126)										
	0.5x4.75 .020x.187	FDNYD2-187 (5)	5.0 (.197)	6.5 (.256)	20.0 (.787)				0.4 (.016)				
	0.8x4.75 .032x.187	FDNYD2-187 (8)	5.0 (.197)			11.0 (.433)	5.0 (.197)	2.3 (.091)	0.35 (.014)				
	0.5x5.2 .020x.205	FDNYD2-205 (5)	5.7 (.224)	5.8 (.228)	19.5 (.768)								
	0.8x5.2 .032x.205	FDNYD2-205 (8)	5.7 (.224)										
	0.8x6.35 .032x.250	FDNYD2-250	6.6 (.260)	7.5 (.295)	21.5 (.846)				0.4 (.016)				
	0.8x8.0 .032x.312	FDNYD2-312	8.2 (.323)	10.0 (.394)	25.2 (.992)								
4-6 (12-10)	0.5x2.8 .020x.110	FDNYD5-110 (5)	3.2 (.126)	6.5 (.256)	22.0 (.866)					Yellow	UL	TLC MODEL TLC2000A WITH DIE INDEX COLOR: YELLOW OR IZUMI MODEL 5 WITH DIE INDEX COLOR: YELLOW	500
	0.8x2.8 .032x.110	FDNYD5-110 (8)	3.2 (.126)	6.5 (.256)									
	0.5x4.75 .020x.187	FDNYD5-187 (5)	5.0 (.197)	6.5 (.256)	22.0 (.866)	13.0 (.512)	6.5 (.256)	3.4 (.134)	0.35 (.014)				
	0.8x4.75 .032x.187	FDNYD5-187 (8)	5.0 (.197)	6.5 (.256)									
	0.8x6.35 .032x.250	FDNYD5-250	6.6 (.260)	7.5 (.295)	23.5 (.925)				0.4 (.016)				
	1.2x9.4 .047x.375	FDNYD5-375	10.0 (.394)	12.0 (.472)	28.5 (1.122)				0.5 (.020)				

Product Description:

Cable lug connectors are a type of male connector that is designed for the purpose of establishing an electrical connection. They are most commonly used in industrial applications and are available in a full range of current ratings. The surface finish of the cable lug connector is tin plated, and they are usually designed in a round shape. The cable lug connector is used to provide a reliable and secure connection between two electrical components.

The cable lug connector is made from high-grade materials that are resistant to corrosion and oxidation. The connector is designed to provide a long-lasting and reliable connection and is suitable for a wide range of industrial applications. The cable lug connector is easy to install and provides a secure connection between two components. It is also designed to withstand extreme temperatures and vibrations.

The cable lug connector is an essential component for any industrial application and is designed to provide a reliable and secure connection. It is available in a full range of current ratings, and the surface finish is tin plated. The connector is designed to provide a long-lasting and reliable connection, and it is suitable for a wide range of industrial applications.

Technical Parameters:

Attribute	Value
Application	Industrial Connection
Product Name	Cable Lug Connector
Material	Copper
Usage	Electrical Connector

Color	Red, Green, Yellow, Blue
Shape	Round
Durability	Excellent
Surface Finish	Tin Plated
Current Rating	Full Range
Connector Type	Female connector cable lug

Applications:

TLC Cable Lug Connector

TLC Cable Lug Connector is a kind of electrical connector used for industrial connection. It is designed to be **pluggable**, with excellent durability and round shape. Its female connector cable lug is made to provide reliable connection with a range of cables. It is **UL, CUL, CE certified**, and comes in **red, green, yellow, and blue** colors. It has a minimum order quantity of 1000, and the price is in US dollar. The package consists of a bag and a carton. Delivery time is 5-30 working days, and payment terms are T/T. The company is capable of supplying 1KK pcs per month.

Support and Services:

Technical Support & Services for Cable Lug Connector

TLC provide technical support and services for our Cable Lug Connector products. We strive to provide the best customer experience by offering high-quality products and reliable technical support.

Technical Support

Our experienced technical support team is available to answer any questions you may have about our Cable Lug Connector products. We are dedicated to providing prompt, accurate, and professional advice to ensure you make the most out of your purchase. Our technical support team can be reached via email, phone, or online chat.

Services

In addition to technical support, our experienced team also provides professional services for Cable Lug Connector products. We offer installation and maintenance services as well as product customization and repair services. Our services are designed to ensure that you get the most out of your purchase.

Packing and Shipping:

Cable Lug Connectors are packaged and shipped in a variety of ways depending on the size and type of product. Generally, smaller lugs are packaged in boxes or bags, while larger lugs are packaged in crates or pallets. The connectors are then protected with bubble wrap or foam to prevent damage during shipping.

Shipping methods vary based on destination and size of the shipment. Smaller shipments are generally sent via UPS or FedEx, while larger shipments may be sent via truck or rail. All shipments are tracked to ensure delivery and safe arrival.

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is TLC.

Q: Where is this product made?

A: This product is made in China.

Q: What certifications does this product have?

A: This product has UL, CUL, CE certifications.

Q: What is the minimum order quantity?

A: The minimum order quantity is 1000.

Q: What is the price of this product?

A: The price of this product is USD.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City