

## Copper Electrical Connections Ring Cable Lugs Nylon Insulated Single Crimp Ring Terminals 8-14mm<sup>2</sup>

Our Product Introduction

for more products please visit us on [cableslugs.com](http://cableslugs.com)

### Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNY, RNYB, DRNYB, RD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



### Product Specification

- Material: Copper
- Brand: TLC
- Application: Electrical Connections
- Package: Bag, Carton, Reel
- Product Name: Ring Cable Lugs
- Type: Ring Terminals
- Color: Red, Yellow, Blue,
- Shape: Ring
- Highlight: **Electrical Connections Ring Cable Lugs,  
Copper Ring Cable Lugs 14mm<sup>2</sup>,  
Single Crimp Ring terminals 14mm<sup>2</sup>**



### More Images




## Product Description



## Nylon Insulated - Single Crimp

## RING TERMINALS

**Material**  
 Insulation: Nylon  
 Terminal Body: Copper  
 Plating: Tin



WIRE RANGE mm (AWG)	STUD SIZE Metric/American	ITEM NO.	DIMENSION mm (inch)										COLOR	STANDARD	TOOLS	QTY BOX	
			d2	W	F	L	E	D	d1	T							
8 (8)	3.5	#6	RNYB8-3.7	3.7 (146)	8.0 (315)	9.3 (366)	29.0 (1142)							Red	UL	TLC MODEL TLC-HDC38A WITH DIE INDEXINS(8)	500
	4	#8	RNYB8-4	4.3 (169)									500				
	4	#8	RNYBL8-4	4.3 (169)	12.0 (472)	9.3 (366)						500					
	5	#10	RNYB8-5	5.3 (209)	8.8 (364)	10.9 (429)	31.3 (1232)					500					
	5	#10	RNYBM8-5	5.3 (209)	12.0 (472)	9.3 (366)						500					
	5	#10	RNYBL8-5	5.3 (209)	15.0 (591)	13.8 (543)	37.3 (1469)	16.0 (630)	8.0 (315)	4.5 (177)	1.2 (047)	500					
	6	1/4"	RNYB8-6	6.4 (252)	12.0 (472)	9.3 (366)	31.3 (1232)					500					
	6	1/4"	RNYBL8-6	6.4 (252)								500					
	8	5/16"	RNYB8-8	8.4 (331)	15.0 (591)	13.8 (543)	37.3 (1469)					500					
	10	3/8"	RNYB8-10	10.5 (413)								500					
	12	1/2"	RNYB8-12	13.0 (512)	20.0 (787)	15.0 (591)	41.0 (1614)					500					
	14 (6)	4	#8	RNYB14-4	4.3 (169)												Blue
5		#10	RNYB14-5	5.3 (209)	12.0 (472)	13.3 (524)	40.8 (1606)					250					
6		1/4"	RNYB14-6	6.4 (252)				21.5 (846)	11.0 (433)	5.8 (228)	1.5 (059)	250					
6		1/4"	RNYBL14-6	6.4 (252)								250					
8		5/16"	RNYB14-8	8.4 (331)	16.0 (630)	14.2 (559)	43.5 (1713)					250					
5		#10	RNYB14-10	10.5 (413)								250					

## Product Description:

Insulated ring terminals are electrical connectors that are specifically designed to help securely attach wires to terminal blocks or studs. These terminals are particularly characterized by their circular shape and the central hole that allows them to be easily and conveniently fastened to screws or bolts.

## Features:

The terminals on these electronic components are insulated using special materials such as PVC or nylon. This offers a few key benefits. Firstly, it helps to protect the wires from any kind of damage or harm. It also prevents short circuits, ensuring that the connection is always reliable.

In addition, the insulation provides electrical insulation, thereby keeping any potential electric shocks at bay. This allows the connection to be used safely, with no associated risk of harm.

## Applications:

Insulated ring terminals are widely used in various areas due to their convenience. They are popular for being employed in automotive and marine purposes, or even in industrial and electrical projects. Besides, they are designed to meet different needs – their sizes vary to fit different wire gauges and stud sizes.

These terminals have become a great solution to many challenges because of their convenience. Their design allows them to be easily inserted into connector housings or onto their own screw threads and they also offer electrical insulation which prevents accidental contact between circuits. Furthermore, they provide a secure and robust grip to the wire.

In conclusion, insulated ring terminals are helpful in many scenarios since they provide electrical insulation and a secure grip, thus being an easy solution for a variety of applications.

## Support and Services:

Ring Cable Lugs offer technical support and services to customers who purchase their products. Customers can access support and services in a variety of ways, including online customer service, phone support, and in-person technical assistance. Online customer service includes the ability to chat with a Ring Cable Lugs representative or find answers to frequently asked questions. Phone support offers direct access to Ring Cable Lugs representatives, who can help customers troubleshoot and identify solutions to any problems they may be having with their products. In-person technical assistance is available in select locations, and customers can receive hands-on assistance from a Ring Cable Lugs technician.

## Packing and Shipping:

Packaging and Shipping for Ring Cable Lugs

Ring cable lugs are securely packed in cardboard boxes or plastic bags to ensure they reach their destination in perfect condition. We use bubble wrap, foam, and other protective materials to ensure maximum safety during transit.

We use standard shipping carriers to ship our products. Customers have the option to choose expedited shipping for faster delivery. We also offer shipping insurance for all orders. Customers can choose this option when placing an order.

## FAQ:

Q1: What is the brand name of Ring Cable Lugs?

A1: The brand name of Ring Cable Lugs is TLC.

Q2: What are the model numbers of Ring Cable Lugs?

A2: The model numbers of Ring Cable Lugs are RNY, RNYB, DRNYB, RD.

Q3: Where are Ring Cable Lugs made?

A3: Ring Cable Lugs are made in China.

Q4: What certifications do Ring Cable Lugs have?

A4: Ring Cable Lugs have UL, CUL, and CE certifications.

Q5: What is the minimum order quantity for Ring Cable Lugs?

A5: The minimum order quantity for Ring Cable Lugs is 1000 pcs.



**TLC TERMINALS TECHNOLOGY LIMITED**



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City