

Round Copper Cord End Terminals Insulated Connectors Electrical Terminal Connectors

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: E, EN
- Minimum Order Quantity: 1000pcs
- Price: USD
- Packaging Details: Bag and Carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK - 5Kk pcs per month



Product Specification

- Shape: Round
- Connector Type: Cord End Terminals
- Material: Copper
- Color: Red, Yellow, Blue, Black, Green
- Package Content: 1000-50pcs
- Wire Gauge: 250/300MCM-26AWG
- Insulation: NYLON
- Highlight: **Round Copper Cord End Terminals,
Cord End Terminals Insulated 300MCM,
Electrical Terminal Connectors 300MCM**


for more products please visit us on cableslugs.com



Nylon Insulated

CORD END TERMINALS

Material
 Insulation: Nylon
 Terminal Body: Copper
 Plating: Tin



WIRE RANGE mm (A.W.G.)	ITEM NO.	DIMENSION mm (inch)						FRENCH COLOR	GERMAN COLOR	DIN COLOR	TOOLS	QTY BOX
		F	L	W	B	D	C					
0.25 (26)	E 0206	6.0 (236)	10.4 (409)	1.9 (075)	4.4 (173)	1.1 (043)	0.8 (031)	VIOLET	LIGHT BLUE			1,000
	E 0208	8.0 (315)	12.4 (488)									
0.34 (24)	E 0306	6.0 (236)	10.4 (409)	1.9 (075)	4.4 (173)	1.1 (043)	0.8 (031)	PINK	TURQUOISE			1,000
	E 0308	8.0 (315)	12.4 (488)									
0.5 (22)	E 0505	5.0 (196)	11.0 (433)	2.6 (102)	6.0 (236)	1.3 (051)	1.0 (039)	WHITE	ORANGE	WHITE	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,000
	E 0506	6.0 (236)	12.0 (472)									
	E 0508	8.0 (315)	14.0 (551)									
	E 0510	10.0 (394)	16.0 (630)									
	E 0512	12.0 (472)	18.0 (709)									
0.75 (20)	E 7506	6.0 (236)	12.3 (484)	3.0 (118)	6.3 (248)	1.5 (059)	1.2 (047)	BLUE	WHITE	GREY	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,000
	E 7508	8.0 (315)	14.3 (563)									
	E 7508-L	8.0 (315)	14.5 (571)									
	E 7510	10.0 (394)	16.3 (642)									
	E 7512	12.0 (472)	18.3 (720)									
	E 7518	18.0 (709)	24.3 (957)									
1.0 (18)	E 1006	6.0 (236)	12.3 (484)	3.0 (118)	6.3 (248)	1.7 (067)	1.4 (055)	RED	YELLOW	RED	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,000
	E 1008	8.0 (315)	14.3 (563)									
	E 1008-L	8.0 (315)	14.5 (571)									
	E 1010	10.0 (394)	16.3 (642)									
	E 1012	12.0 (472)	18.3 (720)									
	E 1012-L	12.0 (472)	18.5 (728)									
	E 1018	18.0 (709)	24.3 (957)									

Product Description:

High-quality Cord End Terminals: The TLC Guarantee

Cord end terminals, often referred to as cord end ferrules, play an important role in making secure and reliable electrical connections. At TLC, we take pride in offering a wide range of cable terminals that are designed to meet the most demanding industry specifications. Our expert team is committed to manufacturing premium-grade cable terminals that offer exceptional resistance to corrosion, temperature variations and other environmental stress. Our products have had an outstanding record of performance in a variety of industries, ranging from industrial machinery and home applications to automotive and defense components. Whether it's a simple cord end ferrule or a special design, TLC guarantees the highest quality of product that is customized to meet your specific needs. We make sure your cord end terminals provide the reliable and safe connection your system requires.

Features:

Our cord end terminals are designed to provide superior performance and long-term reliability. Their durable construction and excellent electrical conductivity make them ideal for even the most demanding applications. We offer a wide range of sizes and configurations, so you're sure to find the perfect cord end terminal for your specific wire gauge and terminal block.

Technical Parameters:

Cord end terminals are designed for **easy and quick installation**, helping users to save time and effort in the wiring process. Moreover, they also offer a secure and vibration-resistant connection, which could effectively **prevent the risk of loose or damaged wires**. Moreover, their using of these terminals could save the cost of labor since the wires do not need much manual processing. The cord end terminals are more user-friendly and could **greatly reduce tedious manual work**.

Applications:

At our professional manufacturing company, TLC, we take pride in offering a wide range of high-quality **cord end terminals** to cater to the diverse needs of our customers. We manufacture these terminals using premium-grade materials and engineer them to meet stringent industry standards. Our cord end terminals are highly durable and offer excellent electrical conductivity - even in demanding applications. They are available in various sizes and configurations, to accommodate different wire gauges and terminal blocks.

Customization:

Customized Cord End Terminals from TLC

Brand Name: TLC
Model Number: E, EN
Place of Origin: China
Certification: UL, CUL, CE
Minimum Order Quantity: 1000pcs
Price: USD
Packaging Details: Bag and Carton package
Delivery Time: 5-30 working days
Payment Terms: T/T
Supply Ability: 1KK - 5Kk pcs per month
Package Content: 1000-50pcs
Connector Type: Cord End Terminals
Wire Gauge: 250/300MCM-26AWG
Shape: Round
Color: Red, Yellow, Blue, Black, Green
Features: Cold press terminals, Insulated Cord End, Cold press terminals, Heat shrinkable terminals

Support and Services:

Cord End Terminals Technical Support and Service

We provide comprehensive technical support and service for our Cord End Terminals products. Our team of experienced professionals is available to answer any questions you may have about installation, operation, and maintenance. We offer a dedicated customer service hotline to provide quick and efficient assistance. We also provide a range of online resources and documentation to help you get the most out of your Cord End Terminals product. Our team is always available to provide technical advice and support. We understand the importance of keeping your Cord End Terminals product up-to-date with the latest software and hardware updates. We provide regular software updates and notifications to ensure your product is always running optimally. We strive to provide the best customer experience and satisfaction. If you have any questions or concerns, please don't hesitate to contact us.

Packing and Shipping:

Packaging and Shipping of Cord End Terminals

Cord end terminals are usually shipped in bulk, in protective packaging such as cardboard boxes and plastic bags. Depending on the product, it may also be necessary to use cushioning materials like bubble wrap or foam to ensure that the product arrives in its original condition. In addition, it is important to ensure that the product is properly labelled with all relevant information, such as product name, weight, dimensions, and manufacturer's details. This will help to ensure that the product is properly identified when it arrives at its destination. When shipping cord end terminals, it is important to take into account the size and weight of the product, as well as the distance it needs to travel. If necessary, it may be necessary to use a specialist shipping company to ensure that the product arrives safely and on time. It is also important to factor in any possible delays due to customs clearance or other unforeseen circumstances. It is advisable to use a tracked service to ensure that the product can be tracked at all times.

FAQ:

Frequently Asked Questions

Q: What is the brand name of the Cord End Terminals?
A: The brand name of the Cord End Terminals is TLC.
Q: What is the model number of the Cord End Terminals?
A: The model number of the Cord End Terminals is E and EN.
Q: Where is the place of origin of the Cord End Terminals?
A: The place of origin of the Cord End Terminals is China.
Q: What certifications does the Cord End Terminals have?
A: The Cord End Terminals has UL, CUL, and CE certifications.

Q: What is the minimum order quantity of the Cord End Terminals?
A: The minimum order quantity of the Cord End Terminals is 1000pcs.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City