1.5-16mm2 Non Insulated Copper Tin Plated Ring Terminals With Brazed **Seam DIN 46234**

Basic Information

• Place of Origin: **CHINA** TLC • Brand Name:

UL, CUL, CE · Certification: • Model Number: RNB, DRNB, OT

• Minimum Order Quantity:

1000

USD • Price: · Packaging Details: Carton

• Delivery Time: 5-30 working days

• Payment Terms: T/T

· Supply Ability: 1KK pcs per month



Product Specification

• Product Name: Non Insulated Ring Terminals

• RoHS Compliant: Yes • Temperature Rating: 105°C

• Insulation: Non-Insulated


• Material: Copper • Barrel Type: Closed · Color: Silver • Tin Plated: Yes

• Highlight: Non Insulated Ring Terminals DIN 46234,

Copper Non Insulated Ring Terminals, **Tin Plated Ring Terminals 16mm2**



Our Product Introduction



Product Description:

A non-insulated terminal is an electrical connector that is commonly used for connecting and securing a wire. It is usually made out of metal, and does not possess the ability to insulate it from other elements. Non-insulated terminals are a popular choice for application in many industries, such as electrical and electronic equipment, automotive industry, home appliances, and many more. Due to their metal composition, non-insulated terminals are preferred for their high durability and heat resistance. This makes them especially suitable for circuit board assembly procedures. Additionally, non-insulated terminals can provide a stable connection for electrical wiring. They are easy to install, and their ability to ensure a safe and reliable electrical connection makes them a popular choice in many fields.

Features:

Non-insulated terminals are generally fabricated using conductive materials, such as copper, aluminum, etc. Not only do they provide effective electrical connections due to their good conductivity, but also their wide variety of shapes and sizes means that they are suitable for numerous connections. Depending on the need, non-insulated terminals can be bolted, crimped, or welded to the wire.

Applications:

In order to secure wires in the electronics or automotive industry, non-insulated terminals can be used. Characterised by a well-

considered structural design, these terminals afford users an easily accessible way of fixing wires in place to prevent slippage or disconnection. As a prime example, U-shaped terminals are specially crafted to clip wires into them while a bolt or some other attaching mechanism may be used to firmly secure the wire to the device.

Customization:

Non Insulated Ring Terminals - TLC

Brand Name: TLC

Model Number: RNB, DRNB, OT Place of Origin: CHINA Certification: UL, CUL, CE Minimum Order Quantity: 1000

Price: USD

Packaging Details: Carton Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK pcs per month Insulation: Non-Insulated

Color: Silver Material: Copper Tin Plated: Yes RoHS Compliant: Yes

TLC Cable Lug Ring Type - Non Insulated Ring Terminals

TLC Non Insulated Ring Terminals are UL, CUL, CE certified and made of high-quality copper material with silver color and tin plated. Our cable lug ring type, ring terminals, ring cable lug, and copper ring terminals are RoHS compliant and come in three models - RNB, DRNB, and OT.

Minimum order quantity is 1000 pieces and we can supply up to 1KK pieces per month. The price is USD. Packaging details are carton and delivery time is 5-30 working days. Payment terms are $\ensuremath{\text{T/T}}$.

Support and Services:

Non Insulated Ring Terminals Technical Support and Service

Our company provides technical support and service for Non Insulated Ring Terminals. Our technical support team is available to answer any questions or concerns you may have. We also provide regular maintenance and repair services, as well as replacement parts for our products

We are committed to providing the highest quality products and services available. We offer a wide variety of Non Insulated Ring Terminals, each designed to meet the needs of our customers. Whether you need a standard ring terminal or a custom design, our team is here to help

If you have any questions or would like to learn more about our technical support and services, please do not hesitate to contact us. We look forward to helping you find the best solutions for your needs.

Packing and Shipping:

Packaging and Shipping Non Insulated Ring Terminals

Non Insulated Ring Terminals are shipped in the standard packaging. The packing material includes strong, durable cardboard boxes to ensure safe delivery of the product. The boxes are also lined with bubble wrap or foam to protect the product from any damage during

The shipping method used for Non Insulated Ring Terminals is usually by airfreight or sea freight. The shipment will be tracked and monitored for its safety and security. The shipment will be delivered to the customer's designated address. The customer is also notified with all the necessary information regarding the shipment.

FAQ:

- Q: What is the Brand Name of Non Insulated Ring Terminals?
- A: The Brand Name of Non Insulated Ring Terminals is TLC.
- Q: What is the Model Number of Non Insulated Ring Terminals?
- A: The Model Number of Non Insulated Ring Terminals is RNB, DRNB, OT.
- Q: Where are Non Insulated Ring Terminals produced?
- A: Non Insulated Ring Terminals are produced in China.
- Q: What are the certifications of Non Insulated Ring Terminals?
- A: Non Insulated Ring Terminals have UL, CUL, CE certifications.
- Q: What is the minimum order quantity for Non Insulated Ring Terminals?
- A: The minimum order quantity for Non Insulated Ring Terminals is 1000.









4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City