

## 16-70mm<sup>2</sup> Non Insulated Closed Barrel Ring Type Cable Lug Terminals DIN 46234 With Brazed Seam

### Our Product Introduction

#### Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNB, DRNB, OT
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month




#### Product Specification

- Product Name: Non Insulated Ring Terminals
- Material: Copper
- Color: Silver
- Temperature Rating: 105°C
- Barrel Type: Closed
- RoHS Compliant: Yes
- Insulation: Non-Insulated
- Tin Plated: Yes
- Highlight: ring terminal non insulated 70mm<sup>2</sup>,  
Closed Barrel Ring Type Cable Lug,  
ring terminal non insulated 16mm<sup>2</sup>



#### More Images




## Product Description



### Non-Insulated with Brazed Seam

## RING TERMINALS DIN 46234

**Material**  
Terminal Body: Copper  
Plating: Tin



WIRE RANGE mm <sup>2</sup> (A.W.G.)	STUD SIZE Metric	ITEM NO	DIMENSION mm							P/N	QTY BOX
			E	W	F	B	D	d	T		
16 (6)	10	DRNB10-16	10.5	18.0	14.0	10.0	10.5	5.8	1.2	T-12092945	500
	12	DRNB12-16	13.0	22.0	16.0					T-12092946	
25 (4)	5	DRNB5-25	5.3	12.0	14.0	11.0	12.0	7.5	1.5	T-12092947	
	6	DRNB6-25	6.5	12.0						T-12092948	
	8	DRNB8-25	8.4	16.0						T-12092949	
	10	DRNB10-25	10.5	18.0	15.0					T-12092950	
	12	DRNB12-25	13.0	22.0	20.0					T-12092951	
	16	DRNB16-25	17.0	28.0	24.0					T-12092952	
35 (2)	6	DRNB6-35	6.5	15.0	14.0	12.0	15.0	9.0	1.6	T-12092953	
	8	DRNB8-35	8.4	16.0						T-12092954	
	10	DRNB10-35	10.5	18.0	15.0					T-12092955	
	12	DRNB12-35	13.0	22.0	19.0					T-12092956	
	16	DRNB16-35	17.0	28.0	24.0					T-12092957	
50 (1/0)	6	DRNB6-50	6.5	18.0	18.0	16.0	17.0	11.0	1.8	T-12092958	
	8	DRNB8-50	8.4							T-12092959	
	10	DRNB10-50	10.5							T-12092960	
	12	DRNB12-50	13.0	22.0	20.0					T-12092961	
	16	DRNB16-50	17.0	28.0	24.0					T-12092962	
70 (2/0)	6	DRNB6-70	6.5	22.0	20.0	18.0	21.0	13.0	2.0	T-12092963	
	8	DRNB8-70	8.4							T-12092964	
	10	DRNB10-70	10.5							T-12092965	
	12	DRNB12-70	13.0							T-12092966	
	16	DRNB16-70	17.0	28.0	24.0					T-12092967	

### Product Description:

A non-insulated terminal is an electrical connector used for connecting or securing a wire. It is usually composed of metal and does not offer insulation. These connectors are widely used in a variety of fields, such as electrical and electronic equipment, automotive industry, and home appliances.

The popularity of non-insulated terminals can be attributed to their reliable performance and convenience. They are easy to install, require little maintenance, and can last for years when properly used.

Non-insulated terminals are also known for their high flexibility- they can be used in various shapes and sizes, and with any wire type and configuration.

Overall, non-insulated terminals are an essential part of many industries. Their versatility and dependability make them a great choice for any project involving wiring and connections.

### Features:

Non-insulated terminals are widely used in the planning of electrical circuits. They are usually constructed from high-conductivity materials, such as copper, aluminum, among other substances. This allows for reliable electrical connections and a range of different

shapes and sizes to suit various needs, including round, flat, U-shaped and F-shaped, among others. When connecting them to wires, non-insulated terminals can be bolted, crimped or welded, with the aid of a locking device to ensure a secure connection.

## Applications:

Non-insulated terminals can be a great alternative to secure wires. Often used in electronics or the automotive industry, wires demand to be positioned in such a way that their movement or loosening is prevented. Such terminals are designed to make it easier to hold the wire in place. One example of such terminals are the U-shaped terminals. When these terminals are fixed with bolts or other fixtures, the wires can be safely and effectively "clipped in", allowing them to stay securely in position.

## Customization:

Non Insulated Ring Terminals from TLC

Model Number: RNB, DRNB, OT

Place of Origin: CHINA

Certification: UL, CUL, CE

Minimum Order Quantity: 1000

Price: USD

Packaging Details: Carton

Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK pcs per month

Temperature Rating: 105°C

RoHS Compliant: Yes

Barrel Type: Closed

Color: Silver

Product Name: Non Insulated Ring Terminals

TLC's Non Insulated Ring Terminals are the perfect cable lug ring type for your wiring needs. They are UL, CUL and CE certified and offer a temperature rating of 105°C. With a Closed Barrel design and a Silver color, they come in models RNB, DRNB and OT and can be ordered in minimum quantities of 1000. Packaged in Cartons, they are available for delivery in 5-30 working days and can be paid for via T/T. TLC can provide up to 1KK pcs per month.

## Support and Services:

Non Insulated Ring Terminals technical support and service are available in the following areas:

Installation instructions

Product specifications

Troubleshooting advice

Product warranty information

Replacement parts

Product recall notices

Technical support and customer service

## Packing and Shipping:

Non Insulated Ring Terminals can be packaged in a variety of ways, depending on the size and quantity of the product. Generally, they are packed in individual bags or boxes. For larger orders, they may be packaged in bulk bags or palletized.

When shipping Non Insulated Ring Terminals, they should be securely packed in a container that is strong enough to protect the product during transit. Depending on the size and weight of the product, different shipping methods can be used, such as air, sea, or ground transportation.

## FAQ:

Q1: What is the brand name of the Non Insulated Ring Terminals?

A1: The brand name of the Non Insulated Ring Terminals is TLC.

Q2: What are the model numbers of the Non Insulated Ring Terminals?

A2: The model numbers of the Non Insulated Ring Terminals are RNB, DRNB and OT.

Q3: Where are the Non Insulated Ring Terminals produced?

A3: The Non Insulated Ring Terminals are produced in China.

Q4: What certifications do the Non Insulated Ring Terminals have?

A4: The Non Insulated Ring Terminals have UL, CUL and CE certifications.

Q5: What is the minimum order quantity of the Non Insulated Ring Terminals?

A5: The minimum order quantity of the Non Insulated Ring Terminals is 1000, and the price is in USD. The packaging details are in carton, and the delivery time is 5-30 working days. The payment terms are T/T, and the supply ability is 1KK pcs per month.





+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City