

25-150mm² Cord End Terminals Connector NYLON Insulated Round Shape

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: E, EN
- Minimum Order Quantity: 1000pcs
- Price: USD
- Packaging Details: Bag and Carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK - 5Kk pcs per month



Product Specification


- Wire Gauge: 250/300MCM-26AWG
- Package Content: 1000-50pcs
- Insulation: NYLON
- Shape: Round
- Connector Type: Cord End Terminals
- Color: Red, Yellow, Blue, Black, Green
- Material: Copper
- Highlight: **150mm² Cord End Terminals Connector, NYLON Insulated Cord End Terminals, 25mm² wire terminal connectors**



Nylon Insulated

CORD END TERMINALS


Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE mm (A.W.G.)	ITEM NO.	DIMENSION (mm (inch))						FRENCH COLOR	GERMAN COLOR	DIN COLOR	TOOLS	QTY BOX
		F	L	W	B	D	C					
25 (4)	E 25-12	12.0 (472)	24.0 (945)	11.0 (433)	12.0 (472)	7.9 (311)	7.5 (295)	BLACK	BROWN	YELLOW	TLC MODEL TLC2000N WITH DIE INDEX	250
	E 25-15	15.0 (591)	27.0 (1.063)									
	E 25-16	16.0 (630)	28.0 (1.102)									
	E 25-18	18.0 (709)	30.0 (1.181)									
	E 25-22	22.0 (886)	34.0 (1.339)									
35 (2)	E 35-16	16.0 (630)	30.0 (1.181)	12.5 (492)	14.0 (551)	8.7 (343)	8.3 (327)	RED	BEIGE	RED	TLC MODEL TLC2000N WITH DIE INDEX	250
	E 35-18	18.0 (709)	32.0 (1.260)									
	E 35-22	22.0 (866)	36.0 (1.417)									
	E 35-25	25.0 (984)	39.0 (1.535)									
50 (1/0)	E 50-12	12.0 (472)	28.0 (1.102)	15.0 (591)	16.0 (630)	10.9 (429)	10.3 (406)	BLUE	OLIVE	BLUE	TLC MODEL TLC2000P WITH DIE INDEX	250
	E 50-20	20.0 (787)	36.0 (1.417)									
	E 50-25	25.0 (984)	41.0 (1.614)									
70 (2/0)	E 70-20	20.0 (787)	37.0 (1.457)	16.0 (630)	17.0 (669)	14.3 (563)	13.5 (531)	YELLOW	YELLOW	YELLOW		100
	E 70-25	25.0 (984)	42.0 (1.654)									
	E 70-27	27.0 (1.063)	44.0 (1.732)									
95 (3/0)	E 95-25	25.0 (984)	44.0 (1.732)	18.5 (728)	19.0 (748)	15.6 (614)	14.8 (583)	RED	RED	RED		100
120 (4/0)	E 120-27	27.0 (1.063)	47.6 (1.874)	20.3 (799)	20.6 (811)	17.7 (697)	16.7 (657)	BLUE	BLUE	BLUE		50
	E 120-32	32.0 (1.260)	52.6 (2.071)									
150 250/309MCM	E 150-25	25.0 (984)	50.6 (1.992)	23.4 (921)	25.6 (1.008)	20.6 (811)	19.6 (772)	YELLOW	YELLOW	YELLOW		50
	E 150-27	27.0 (1.063)	52.6 (2.071)									
	E 150-32	32.0 (1.260)	57.6 (2.268)									

CORD END TERMINALS FOR SHORT CIRCUIT RESISTANT CONDUCTOR

Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE mm ² (A.W.G.)	ITEM NO.	DIMENSION mm (inch)						FRENCH COLOR	GERMAN COLOR	DIN COLOR	TOOLS	QTY BOX
		F	L	W	B	D	C					
1.5 (16)	E 1508-XL	8.0 (.315)	17.4 (.685)					BLACK	RED	BLACK	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,000
	E 1510-XL	10.0 (.394)	19.4 (.764)	6.8 (.268)	9.4 (.370)	2.1 (.083)	1.8 (.071)					
2.5 (14)	E 2508-XL	8.0 (.315)	17.6 (.693)					GREY	BLUE	BLUE	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,000
	E 2512-XL	12.0 (.472)	21.6 (.850)	7.8 (.307)	9.6 (.378)	2.6 (.102)	2.3 (.091)					
4 (12)	E 4010-XL	10.0 (.394)	19.5 (.768)					ORANGE	GREY	GREY	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,000
	E 4012-XL	12.0 (.472)	21.5 (.846)	7.8 (.307)	9.5 (.374)	3.3 (.130)	2.8 (.114)					
6 (10)	E 6012-XL	12.0 (.472)	23.1 (.909)	8.3 (.327)	11.1 (.437)	4.2 (.165)	3.8 (.150)	GREEN	BLACK	YELLOW	TLC MODEL TLC2000M LY8-065 WITH DIE INDEX	1,000
10 (8)	E 10-12-XL	12.0 (.472)	23.7 (.933)	9.8 (.386)	11.7 (.461)	4.9 (.193)	4.5 (.177)	BROWN	IVORY	RED	TLC MODEL TLC2000M LY8-065 WITH DIE INDEX	1,000
16 (6)	E 16-12-XL	12.0 (.472)	25.8 (1.016)	12.2 (.480)	13.8 (.543)	6.4 (.252)	6.0 (.236)	IVORY	GREEN	BLUE	TLC MODEL TLC2000M LY8-065 WITH DIE INDEX	500

Product Description:

Cord end terminals, also known as **cord end ferrules**, are essential electrical components used for *terminating* the ends of electrical wires or cords. These terminals are specifically designed to **provide a secure and reliable connection** between the wire and the terminal block or device.

At our professional manufacturing company, TLC take **pride** in offering a wide range of high-quality cord end terminals to cater to the *diverse needs* of our customers. Our cord end terminals are manufactured using premium-grade materials and **are engineered to meet stringent industry standards**.

Features:

Our cord end terminals offer optimal performance and long-lasting reliability even in demanding applications due to their durable construction and excellent electrical conductivity.

Furthermore, we provide cord end terminals in various sizes and configurations to suit different wire gauges and terminal blocks.

Technical Parameters:

Cord end terminals provide a secure and vibration-resistant connection, reducing the risk of loose or damaged wires.

Not only are they designed for easy installation, they can save time and effort during the wiring process.

Applications:

At TLC, we take pride in offering our customers a wide range of high-quality cord end terminals. All our products are made of premium-grade materials and designed to meet industry standard.

Each cord end terminal is strong, highly conductive and performs reliably even under extreme conditions. Our terminals come in different sizes and configurations to ensure compatibility with multiple wires and terminals.

Customization:

TLC is offering Customized Services on Non-insulated Cord End Terminals (Model E, EN). Our products are UL, CUL and CE certified with minimum order quantity of 1000pcs. The price will be based on USD and the package content is 1000-5000pcs. Additionally, we offer various colors such as Red, Yellow, Blue, Black and Green. The material is Copper and insulation is Nylon with Wire Gauge of 250/300MCM-26AWG. The delivery time is 5-30 working days and payment terms is T/T. We can supply you with 1KK - 5Kk pcs per month.

Support and Services:

Our Cord End Terminals are backed by a reliable technical support and service. We provide our customers with comprehensive technical information, including detailed product specifications, technical drawings, and installation instructions. Our experienced technical support team is available to answer any questions you may have about our Cord End Terminals. We also offer on-site installation and troubleshooting services.

Packing and Shipping:

Cord End Terminals are packaged in sturdy cardboard boxes, and shipped in corrugated boxes with bubble wrap for extra protection. In order to maintain the integrity of the product, they are bubble-wrapped and shipped with care.

FAQ:

What is brand name of Cord End Terminals?

The brand name of Cord End Terminals is TLC.

What is the model number of Cord End Terminals?

The model numbers of Cord End Terminals are E and EN.

Where is Cord End Terminals made?

Cord End Terminals are made in China.

What certifications does Cord End Terminals have?

Cord End Terminals have UL, CUL, and CE certifications.

What is the minimum order quantity for Cord End Terminals?

The minimum order quantity for Cord End Terminals is 1000pcs.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City