BULLET FEMALE MALE QUICK DISCONNECTS Cable Lug Connector - Male And Female Pluggable

Basic Information

Place of Origin: ChinaBrand Name: TLC

• Certification: UL, CUL, CE

 Minimum Order Quantity: 1000

• Price:

USD

Packaging Details: bag, carton

• Delivery Time: 5-30 working days

• Payment Terms: T/T

• Supply Ability: 1KK pcs per month



Product Specification

Usage: Electrical Connector

Product Name: Cable Lug Connector

Durability: ExcellentShape: Round

Color: Red, Green, Yellow, Blue

Material: CopperSurface Finish: Tin Plated

Application: Industrial Connection


Highlight: BULLET FEMALE Cable Lug Connector UL,

BULLET MALE Cable Lug Connector TLC,

wire lug connector TLC

BULLET - FEMALE QUICK DISCONNECTS


Material Insulation:Vinyl Terminal Body: Brass Metallic Sleeve: Copper Plating: Tin



WIRE RANGE mm ^e (A.W.G.)	ITEM NO.	DIMENSIONmm(inch)								CTAND 100	70015	оту
		W	F	L)	8	D	c	т.	COLOR	STANDARD	TOOLS	QTY BOX
0.5-1.5 (22-16)	FRD1-156	3.9 (.153)	7.0 (.276)	23.3 (917)	10.5 (413)	3.8 (.150)	1.7	0.4 (.016)	Red		TLC MODEL TLC2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34	1,000
15-25 (16-14)	FRD2-156	3.9 (.153)	7.0 (.276)	23.3 (917)	10.5 (413)	4.7 (.185)	23	0.4 (.016)	Blue		TLC MODEL TLC2000A WITH DIE INDEX COLOR: BLUE	1,000
	FRD2-195	4.9 (.193)	7.0 (.276)								OR IZUMI MODEL 34	1,000
4-6 (12-10)	FRD5-195	4.9 (.193)	7.0 (276)	25.1 (.988)	12.5 (492)	6.2 (244)	3.4	0,45(018)	Yellow		TLC MODEL TLC2000A WITH DIE INDEX COLOR:YELLOW OR IZUMI MODEL S	500

BULLET - MALE QUICK DISCONNECTS

Material Insulation: Vinyl Terminal Body: Brass Metallic Sleeve: Copper Plating: Tin



WIRE RANGE mml (A.W.G.)	ITEM NO.	DIMENSIONmm(inch)								STANDARD	TOOLS	QTY BOX
		w	F	L	В	D	с	T	COLOR	SIANUAKU	IOULS	BOX
0.5-1.5 (22-16)	MPD1-156	4.0 (157)	8.5 (.335)	21.5 (.846)	10.5 (.413)	3.8 (150)	1.7	0.4 (.016)	Red		TLC MODEL TLC 2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34	1,000
1.5-2-5 (16-14)	MPD2-156	4.0 (157)	8.5 (.335)	21.7 (.854)	10.5 (.413)	4.7 (185)	2.3	0.4 (.016)	Blue		TLC MODEL TLC2000A WITH DIE INDEX COLOR: BLUE OR IZUMI MODEL 34	1,000
	MPD2-195	5.0 (197)	8,5 (,335)	21.2 (.835)								
4-6 (12-10)	MPD5-195	5.0 (197)	8.5 (,335)	24.0 (.945)	13.0 (.512)	6.2 (.244)	3.4	0.4 (.016)	Yellow		TLC MODEL TLC2000A WITH DIE INDEX COLOR: YELLOW OR IZUMI MODEL 5	500

Product Description:

Cable lug connectors are an essential terminal connector for electrical connection. They are designed with a round shape and full range of current rating, ideal for low to high power applications. The surface of the cable lug connector is tin plated, providing a strong and reliable connection even in harsh environments. It is a highly durable electrical connector with a long service life. It is widely used in a variety of industries, such as automotive, industrial, and commercial applications. With its superior performance and easy installation, the cable lug connector is the most popular choice for a terminal connector.

Our cable lug connector is designed to meet the highest quality standards, ensuring a secure and reliable connection. The cable lug connector is suitable for a wide range of applications, including power distribution, grounding, and other electrical connections. It features corrosion resistance, high conductivity, and excellent electrical insulation, making it the ideal solution for your electrical connection needs. Our cable lug connector is the perfect choice for a safe and reliable connection.

Technical Parameters:

Property	Value
Current Rating	Full Range
Product Name	Cable Lug Connector
Material	Copper
Color	Red, Green, Yellow, Blue
Application	Industrial Connection
Shape	Round
Durability	Excellent

Surface Finish	Tin Plated
Usage	Electrical Connector
Connector Type	Female connector cable lug, Male and Female terminal lug, Male connector cable lug

Applications:

TLC's cable lug connectors are UL, CUL and CE certified and have a minimum order quantity of 1000. These Male and Female terminal lugs are ideal for industrial connections and have a current rating of full range. They can be plugged into female connectors easily and come with a surface finish of tin plating. These cable lugs come in a round shape and come with a competitive price of USD. We can deliver these connectors within 5-30 working days and accept payment terms of T/T. We are capable of supplying 1KK pcs per month.

Support and Services:

Cable Lug Connector Technical Support and Service

We offer technical support and service for our Cable Lug Connector products. Our technical support staff are available to answer any questions you might have about installation, operation, maintenance, and troubleshooting.

We also provide a wide range of services, including on-site installation, preventive maintenance, and repairs. Our team of highly trained professionals are available to provide assistance with any problem related to the Cable Lug Connector.

If you need more information about our Cable Lug Connector technical support and service, please don't hesitate to contact us. We look forward to helping you get the most out of your product.

Packing and Shipping:

Packaging and Shipping of Cable Lug Connector

Cable Lug Connector is typically shipped in corrugated cardboard boxes, with each part being individually wrapped. Depending on the size of the order, the number of boxes will vary. For smaller orders, the parts are shipped in bubble wrap mailers or other appropriate packaging. For larger orders, they are typically shipped in larger boxes with padding.

All parts should be inspected to ensure they are in good condition before they are shipped. If any parts are damaged, they should be replaced before they are shipped out.

Shipping charges can vary depending on the size and weight of the order. The length of time it takes for a package to arrive can vary, depending on the shipping method chosen.

FAQ:

- Q: What is Cable Lug Connector?
- A: Cable Lug Connector is a type of electrical connector used to terminate a cable to a device.
- Q: What is the brand name of the product?
- A: The brand name of the product is TLC.
- Q: Where is the product from?
- A: The product is from China.
- Q: What certifications does the product have?
- A: The product has UL, CUL, and CE certifications.
- Q: What is the minimum order quantity?
- A: The minimum order quantity is 1000pcs.
- Q: How much is the price for the product?
- A: The price is USD.
- Q: What is the packaging for the product?
- A: The product is packed in bags and cartons.
- Q: How long is the delivery time?
- A: The delivery time is 5-30 working days.
- Q: What are the payment terms?
- A: The payment terms are T/T.
- Q: What is the supply ability?
- A: The supply ability is 1KK pcs per month.



