

DIN 46237 Ring Cable Lugs Ring Terminals For Cable Connections 0.2-2.5mm² Nylon Insulated

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNY, RNYB, DRNYB, RD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

- Material: Copper
- Product Name: Ring Cable Lugs
- Finish: Tin Plated
- Shape: Ring
- Color: Red, Yellow, Blue,
- Application: Electrical Connections
- Package: Bag, Carton, Reel
- Type: Ring Terminals
- Highlight: **tlc Ring Terminals For Cable Connections, Ring Terminals For Cable Connections tlc, CUL Ring Cable Lugs tlc**




for more products please visit us on cableslugs.com



Nylon Insulated with Brazed Seam

RING TERMINALS DIN 46237


Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO.	DIMENSIONmm								COLOR	STANDARD	TOOLS	QTY BOX
			d2	W	I	d1	D	E	T					
mm ²	Metric													
0.2-0.5	2	DRNYB2-0.5	2.2	5.0	14.0	1.0	2.3	8.0	0.5	Yellow	UL	TLC MODEL LYB-067 WITH DIE INDEX NO.0.5	1,000	
	2.5	DRNYB2.5-0.5	2.7											
	3	DRNYB3-0.5	3.2											
	3.5	DRNYB3.5-0.5	3.7	6.0	16.0									
	4	DRNYB4-0.5	4.3											
	5	DRNYB5-0.5	5.3											8.0
0.5-1.5	2	DRNYB2-1	2.2	6.0	17.0	1.6	4.0	11.0	0.8	Red	UL	TLC MODEL TLC2000A HRJ-126J WITH DIE INDEX COLOR:RED OR IZUMI MODEL 34 WITH DIE INDEX COLOR:RED	1,000	
	2.5	DRNYB2.5-1	2.7											
	3	DRNYB3-1	3.2											
	3.5	DRNYB3.5-1	3.7											
	4	DRNYB4-1	4.3	7.0	17.5									
	4	DRNYB4-1	4.3	8.0										18.0
	5	DRNYB5-1	5.3	8.0										
	5	DRNYB5-1	5.3	10.0	19.0									
	6	DRNYB6-1	6.5	10.0										21.0
	6	DRNYB6-1	6.5	11.0										
	8	DRNYB8-1	8.4	14.0										
	10	DRNYB10-1	10.5	14.0										
	10	DRNYB10-1	10.5	18.0	25.0									
	1.5-2.5	3	DRNYB3-2.5	3.2	6.0									17.0
3.5		DRNYB3.5-2.5	3.7											
4		DRNYB4-2.5	4.3	6.8		17.6								

RING TERMINALS DIN 46237

Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO.	DIMENSION mm							COLOR	STANDARD	TOOLS	QTY BOX
			d2	W	I	d1	D	E	T				
1.5-2.5	4	DRNYB4-2.5	4.3	8.0	18.0	2.3	4.5	11.0	0.8	Blue	UL	TLC MODEL TLC2000A HRI-126J WITH DIE INDEX COLOR:BLUE OR IZUMI MODEL 34 WITH DIE INDEX COLOR:BLUE	1,000
	5	DRNYB5-2.5	5.3	8.0	19.5								
	5	DRNYB5-2.5	5.3	10.0	20.0								
	6	DRNYB6-2.5	6.5	11.0	22.0								
	8	DRNYB8-2.5	8.4	14.0	23.0								
	10	DRNYB10-2.5	10.5	15.0	24.5								
	10	DRNYB10-2.5	10.5	18.0	26.0								
	12	DRNYB12-2.5	13.0	22.0	31.5								
2.5-6	4	DRNYB4-6	4.3	8.0	21.0	3.6	6.4	13.0	1.0	Yellow	UL	TLC MODEL TLC2000A HRI-126J WITH DIE INDEX COLOR:YELLOW OR IZUMI MODEL 5 WITH DIE INDEX COLOR:YELLOW	500
	5	DRNYB5-6	5.3	10.0	22.0								
	6	DRNYB6-6	6.5	11.0	23.0								
	8	DRNYB8-6	8.4	14.0	26.0								
	10	DRNYB10-6	10.5	18.0	28.0								
	12	DRNYB12-6	13.0	22.0	31.5								
10	5	DRNYB5-10	5.3	10.0	24.5	4.5	8.0	16.5	1.1	Red	UL	TLC MODEL TLC-HDC38A WITH DIE INDEX (INDEX:INS8)	500
	6	DRNYB6-10	6.5	11.0	25.5								
	8	DRNYB8-10	8.4	14.0	28.5								
	10	DRNYB10-10	10.5	18.0	29.5								
	12	DRNYB12-10	13.0	22.0	31.5								

Product Description:

Insulated Ring Terminals: A Secure, Convenient Connector!

When it comes to connecting wires to a terminal block or stud, insulated ring terminals provide a secure and convenient solution. These terminals have an iconic circular shape with a hole in the center, making them easy to attach to a screw or bolt. Additionally, the insulation on this type of terminal is constructed using polyvinyl chloride (PVC), offering superior protection from corrosion and other external elements.

With insulated ring terminals, you get a secure connection that holds up against any environment. This makes them the perfect choice for a wide range of applications, from industrial settings to home wiring projects.

Features:

The terminals of these wires have insulation that gives it the necessary protection. Materials like PVC and nylon are used in the insulation, which helps to guard the wires against damages and block any possible short circuit. Furthermore, the insulation provides electrical insulation which helps make sure of a secure and reliable connection.

Applications:

Insulated ring terminals are extensively used in many fields. Its popularity is mainly due to its convenience in different applications like automotive, marine, industries and Electrical projects etc.

Moreover, it is accessible in variable sizes, thus suit for different wire gauges and stud sizes.

Support and Services:

Ring Cable Lugs provide technical support and services to customers who have purchased our products. Our technical support team is available to answer any questions you may have about the installation or operation of our Ring Cable Lugs. We also provide online tutorials and resources to help you get the most out of your purchase. Additionally, we offer a full range of repair and maintenance

services for our Ring Cable Lugs.

Our customer service representatives are available to assist you with any issues you may have. We strive to ensure that our customers are completely satisfied with their purchases and provide a 30-day money-back guarantee. We also offer a one-year warranty on our Ring Cable Lugs and stand behind our products. If you have any questions or concerns, please feel free to contact us.

Packing and Shipping:

Packaging and Shipping for Ring Cable Lugs

Ring cable lugs are packaged and shipped in a secure manner to ensure they arrive safely and in good condition. Each lug is placed in a separate, sealed plastic bag and then placed into a cardboard box. The box is labeled with the product name and quantity. The box is then wrapped in heavy-duty bubble wrap to protect it from damage during shipping. The box is then placed into a cardboard shipping box with the appropriate shipping label attached. The shipping box is then securely taped shut and shipped to the customer.

FAQ:

Q: What is the brand name of Ring Cable Lugs?

A: The brand name is TLC.

Q: What are the model numbers of Ring Cable Lugs?

A: The model numbers are RNY, RNYB, DRNYB, RD.

Q: Where does Ring Cable Lugs come from?

A: The Ring Cable Lugs comes from China.

Q: What certifications does Ring Cable Lugs have?

A: The Ring Cable Lugs have UL, CUL, CE certifications.

Q: What is the minimum order quantity of Ring Cable Lugs?

A: The minimum order quantity of Ring Cable Lugs is 1000.

Q: What is the price of Ring Cable Lugs?

A: The price of Ring Cable Lugs is USD.

Q: How does Ring Cable Lugs packaging?

A: The Ring Cable Lugs packaging in bags, carton package.

Q: What is the delivery time of Ring Cable Lugs?

A: The delivery time of Ring Cable Lugs is 5-30 working days.

Q: What is the payment terms of Ring Cable Lugs?

A: The payment terms of Ring Cable Lugs is T/T.

Q: What is the supply ability of Ring Cable Lugs?

A: The supply ability of Ring Cable Lugs is 1KK pcs per month.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City