

Green Nylon Insulated Ring Terminals Carton Packaging 16-150mm²

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNY, DRNYB, RNYD, RD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 500K - 3KK pcs per month



Product Specification

- Stud Type: Tin Plated
- Material: Copper
- Voltage: 150-600V
- Packaging Quantity: 1000-50 Pieces
- Insulation: Vinyl, Nylon
- Manufacturer: TLC
- Color: Red, Yellow, Blue, Black, Green
- Barrel Type: Crimped
- Highlight: **Green Nylon Insulated Ring Terminals,
Nylon Insulated Ring Terminals 150mm²,
dual crimp terminals 150mm²**

Product Description

Product Description:

Insulated ring terminals are electrical connectors that provide a safe connection between wires and a terminal block or a stud. They are designed with a circular shape and a hole in the center, which allows them to be easily secured with a screw or bolt.


The insulation material on these terminals is usually made of polyvinyl chloride (PVC) or nylon. This insulation helps protect the wires from damage, prevents short circuits and provides electrical insulation as well. Moreover, they can withstand high temperatures and are corrosion-resistant.



Nylon Insulated with Brazed Seam

RING TERMINALS DIN 46237


Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO.	DIMENSIONmm							COLOR	STANDARD	TOOLS	QTY BOX
			d2	W	I	d1	D	E	T				
16	5	DRNYB5-16	5.3	11.0	31.5	5.8	11.0	21.5	1.2	Blue	UL	TLC MODEL TLC-40C38A WITH DIE (INDEX:INS(14))	250
	6	DRNYB6-16	6.5										
	8	DRNYB8-16	8.4	14.0	33.5								
	10	DRNYB10-16	10.5	18.0	35.5								
	12	DRNYB12-16	13.0	22.0	37.5								
25	5	DRNYB5-25	5.3	12.0	38.0	7.5	13.0	24.0	1.5	Yellow	UL	TLC MODEL TLC-40C38A WITH DIE (INDEX:INS(22))	100
	6	DRNYB6-25	6.5										
	8	DRNYB8-25	8.4	16.0									
	10	DRNYB10-25	10.5	18.0	39.0								
	12	DRNYB12-25	13.0	22.0	44.0								
	16	DRNYB16-25	17.0	26.0	48.0								
35	6	DRNYB6-35	6.5	15.0	41.0	9.0	14.5	27.0	1.6	Red	UL	TLC MODEL TLC-40C38A WITH DIE (INDEX:INS(38))	100
	8	DRNYB8-35	8.4	16.0									
	10	DRNYB10-35	10.5	18.0	42.0								
	12	DRNYB12-35	13.0	22.0	46.0								
	16	DRNYB16-35	17.0	26.0	51.0								
50	6	DRNYB6-50	6.5	18.0	47.5	11.0	16.5	29.5	1.8	Blue	UL		
	8	DRNYB8-50	8.4										
	10	DRNYB10-50	10.5										
	12	DRNYB12-50	13.0	22.0	49.5								
	16	DRNYB16-50	17.0	26.0	53.5								

RING TERMINALS DIN 46237

Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO.	DIMENSION mm								COLOR	STANDARD	TOOLS	QTY BOX
			d2	W	I	d1	D	E	T					
70	6	DRNYB6-70	6.5	22.0	51.0	13.0	18.7	31.5	2.0	Yellow	UL			
	8	DRNYB8-70	8.4											
	10	DRNYB10-70	10.5											
	12	DRNYB12-70	13.0											
	16	DRNYB16-70	17.0	28.0	55.0									
95	8	DRNYB8-95	8.4	24.0	57.5	15.0	21.7	35.5	2.5	Red	UL			
	10	DRNYB10-95	10.5											
	12	DRNYB12-95	13.0											
	16	DRNYB16-95	17.0											28.0
120	8	DRNYB8-120	8.4	24.0	62.0	16.5	24.2	40.0	3.0					Blue
	10	DRNYB10-120	10.5											
	12	DRNYB12-120	13.0											
	16	DRNYB16-120	17.0							28.0	66.0			
150	10	DRNYB10-150	10.5	30.0	70.0	19.0	27.2	44.0	3.2	Yellow	UL			
	12	DRNYB12-150	13.0											
	16	DRNYB16-150	17.0											

Technical Parameters:

Product Name	Technical Parameter
Insulated Ring Terminals	Color: Red, Yellow, Blue, Black, Green
	Packaging Quantity: 1000-50 Pieces
	Packaging Type: Carton
	Manufacturer: TLC
	Voltage: 150-600V
	Insulation: Vinyl, Nylon
	Material: Copper
	Barrel Type: Crimped
	Stud Type: Tin Plated
	DIN 46237 Ring terminal
	High quality ring terminal

Applications:

Insulated ring terminals are must-have components for automotive, marine, industrial and electrical projects. They come in multiple sizes to fit various **wire gauges and stud sizes**. Such terminals are heavily used in many different projects as they provide a secure connection between two conductors while the insulation protects them from the environment and reduces the risk of shorting and other dangers. *Insulated ring terminals* provide a secure connection between conductors and **protect them from the environment**. The insulation also reduces the risk of shorting or other dangers, thus making them ideal for many different projects.

Customization:

Customized Insulated Ring Terminals

We offer customized Insulated Ring Terminals with Brand Name of TLC. Our Model Numbers are RNY, DRNYB, RNYD, RD. The place of origin is China and it is UL, CUL, CE certified. The minimum order quantity is 1000 pieces and the price is in USD. It is packaged in a bag or carton package and the delivery time is 5-30 working days. The payment terms are T/T. We have the supply ability of 500K - 3KK pcs per month. The stud type is Tin Plated and the material is copper. The product name is Insulated Ring Terminals and the packaging type is carton. The packaging quantity is from 1000 to 50 pieces.

We specialize in Insulated Single Crimp, DIN 46237 Ring terminal, Insulated Double Crimp, Insulated Ring Terminal.

Support and Services:

We provide technical support and services for Insulated Ring Terminals. Our team of professional technicians are available to help you with any queries you might have regarding the product. We can assist with installation, troubleshooting, repair, and maintenance of the product. Our team is also equipped to provide training and advice on proper use of the product. We are committed to providing the best customer service to ensure your satisfaction.

Packing and Shipping:

Packaging and Shipping for Insulated Ring Terminals:

All orders will be packed and shipped according to customer specifications.

Insulated Ring Terminals are typically packaged in an airtight plastic bag.

The bags are then placed in a cardboard box for shipping.

The cardboard box is then sealed with tape and labeled for shipping.

The product is shipped via an appropriate carrier and should arrive within the specified time frame.

FAQ:

Q1: What is TLC Insulated Ring Terminals?

A1: TLC Insulated Ring Terminals are electrical connectors which provide a secure connection for joining a cable to a terminal. They are available in a range of sizes and are used for a variety of applications, from automotive and industrial to home and commercial applications.

Q2: What is the model number of TLC Insulated Ring Terminals?

A2: The model numbers are RNY, DRNYB, RNYD, RD.

Q3: Where is TLC Insulated Ring Terminals from?

A3: TLC Insulated Ring Terminals are from China.

Q4: What certifications do TLC Insulated Ring Terminals have?

A4: TLC Insulated Ring Terminals have UL, CUL, CE certifications.

Q5: How much does TLC Insulated Ring Terminals cost?

A5: The price of TLC Insulated Ring Terminals is USD. The minimum order quantity is 1000. The packaging details are bag, carton package. Delivery time is 5-30 working days. Payment terms are T/T. The supply ability is 500K - 3KK pcs per month.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City