

## Non Insulated Tin Plated Ring Type Cable Lugs High Temperature Cable Lugs

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNB, DRNB, OT
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



### Product Specification

- Product Name: Non Insulated Ring Terminals
- Color: Silver
- Voltage Rating: 600V
- Insulation: Non-Insulated
- Tin Plated: Yes
- Material: Copper
- Temperature Rating: 105°C
- Barrel Type: Closed
- Highlight: **600V high temperature cable lugs ,  
Non Insulated Ring Type Cable Lugs,  
600V Ring Type Cable Lugs**


for more products please visit us on [cableslugs.com](http://cableslugs.com)



Non-Insulated with Brazed Seam

## RING TERMINALS DIN 46234

**Material**  
Terminal Body: Copper  
Plating: Tin  
**Material**  
Terminal Body: Copper  
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO	DIMENSION mm							P/N	QTY BOX
			mm2 (A.W.G.)	Metric	E	W	F	B	D		
0.2-0.5 (26-20)	3	DRNB2-0.5	2.2	5.0	6.0	4.0	2.0	1.0	0.5	T-12092901	1000
	2.5	DRNB2.5-0.5	2.7							T-12092902	
	3	DRNB3-0.5	3.2							T-12092903	
	3.5	DRNB3.5-0.5	3.7	6.0	8.0					T-12092904	
	4	DRNB4-0.5	4.3	6.5	8.0					T-12092905	
	5	DRNB5-0.5	5.3	8.0	8.0					T-12092906	
0.5-1.5 (22-16)	2	DRNB2-1	2.2	6.0	6.0	5.0	4.0	1.6	0.8	T-12092907	
	2.5	DRNB2.5-1	2.7							T-12092908	
	3	DRNB3-1	3.2							T-12092909	
	3.5	DRNB3.5-1	3.7	7.0	6.5					T-12092910	
	4	DRNB4-1	4.3							T-12092911	
	4	DRNB4-1	4.3							8.0	
	5	DRNB5-1	5.3	8.0	7.5					T-12092913	
	5	DRNB5-1	5.3	10.0	8.0					T-12092914	
	6	DRNB6-1	6.5	10.0	8.0					T-12092915	
	6	DRNB6-1	6.5	11.0	10.0					T-12092916	
	8	DRNB8-1	8.4	14.0	12.0					T-12092917	
	10	DRNB10-1	10.5	14.0	12.0					T-12092918	
	10	DRNB10-1	10.5	18.0	14.0					T-12092919	
1.5-2.5 (16-14)	3	DRNB3-2.5	3.2	6.0	6.0	5.0	4.5	2.3	0.8	T-12092920	
	3.5	DRNB3.5-2.5	3.7							T-12092921	
	4	DRNB4-2.5	4.3	6.8	6.6					T-12092922	

### Product Description:

Non-insulated terminals are commonly made out of materials that are conductive, such as copper, aluminum, and so on. These materials provide reliable electrical connections. Additionally, these terminals are available in many shapes and sizes, including round, flat, U-shaped, F-shaped, etc., which fit different connection needs. Furthermore, they can be secured to the wire by bolts, crimps, or welding.

### Technical Parameters:

Attribute	Value
Barrel Type	Closed
Insulation	Non-Insulated
Voltage Rating	600V
Color	Silver
Product Name	Non Insulated Ring Terminals
Material	Copper

RoHS Compliant	Yes
Temperature Rating	105°C
Tin Plated	Yes

## Applications:

Non-insulated terminals are widely used in electronic and automotive industries due to their excellent performance in connecting wires and securing wires.

Their main function is to connect wires. Typically, the wire is inserted through a hole or notch in the terminal, and then secured by bolting, crimping, or welding. This connection guarantees a secure attachment between the wire and other electrical equipment or components, ensuring the nonstop current transmission.

Moreover, non-insulated terminals provide a convenient and secure way to hold the wires in place. For example, U-shaped terminals allows wires to be simply clipped in and held securely in position by bolts or other fixtures.

## Customization:

Non Insulated Ring Terminals

**Brand Name:** TLC

**Model Number:** RNB, DRNB, OT

**Place of Origin:** CHINA

**Certification:** UL, CUL, CE

**Minimum Order Quantity:** 1000

**Price:** USD

**Packaging Details:** Carton

**Delivery Time:** 5-30 working days

**Payment Terms:** T/T

**Supply Ability:** 1KK pcs per month

**Tin Plated:** Yes

**Barrel Type:** Closed

**Voltage Rating:** 600V

**Temperature Rating:** 105°C

**RoHS Compliant:** Yes

TLC offers customized Non Insulated Ring Terminals for different kinds of electrical wiring applications. Our Ring Terminals are UL, CUL, CE certified, RoHS compliant, and Tin Plated. They come with barrel type closed and voltage rating of 600V, temperature rating of 105°C. A minimum order of 1000 is required, and the price is USD. Delivery time is 5-30 working days. Supply ability is 1KK pcs per month. Packaging will be done in carton.

## Support and Services:

Non Insulated Ring Terminals provide technical support and services to ensure that customers have the best experience possible with their products.

We provide customer assistance in selecting the right type of ring terminal for their application. Our experienced staff can help identify the correct type of ring terminal for any specific application, as well as provide guidance on installation methods, connections and other technical information.

We also offer technical advice on the use of ring terminals in different environments such as high vibration and extreme temperatures. Our technical support team can provide assistance in troubleshooting any problems customers may encounter while using a ring terminal.

In addition, we provide a warranty on all our products. This warranty covers any defects in materials or workmanship. If a problem arises or a customer has any questions or concerns, our staff is available to help.

## Packing and Shipping:

Non Insulated Ring Terminals packaging and shipping should be done with caution and carefulness. Firstly, the product should be packaged in a strong and secure cardboard box or bubble wrap. Secondly, the package should be labeled clearly with the product name, quantity, and the customer name. Lastly, the package should be properly sealed to prevent damage during transit.

## FAQ:

Q: What is the brand name of the Non Insulated Ring Terminals?

A: The brand name of the Non Insulated Ring Terminals is TLC.

Q: What are the model numbers of the Non Insulated Ring Terminals?

A: The model numbers of the Non Insulated Ring Terminals are RNB, DRNB, OT.

Q: Where are the Non Insulated Ring Terminals manufactured?

A: The Non Insulated Ring Terminals are manufactured in China.

Q: What certifications do the Non Insulated Ring Terminals have?

A: The Non Insulated Ring Terminals are certified with UL, CUL, CE.

Q: What is the minimum order quantity for the Non Insulated Ring Terminals?

A: The minimum order quantity for the Non Insulated Ring Terminals is 1000.



**TLC TERMINALS TECHNOLOGY LIMITED**



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City