

16-120mm² JG16 JG35 Non Insulated Ring Terminals Lug Copper Cable Lug JG90

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNB, DRNB, OT
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

- Barrel Type: Closed
- RoHS Compliant: Yes
- Tin Plated: Yes
- Color: Silver
- Material: Copper
- Temperature Rating: 105°C
- Insulation: Non-Insulated
- Product Name: Non Insulated Ring Terminals
- Highlight: 16-120mm² JG16 Non Insulated Ring Terminals,
tlc 16mm² ring terminal cable Lug,
tlc 120mm² ring terminal cable Lug






Non-Insulated - Copper Lugs

TUBULAR LUGS TERMINALS

Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE		ITEM NO	DIMENSION mm							P/N	QTY BOX
	mm ² (A.W.G.)	Metric	American	E	D	d	W	B	L	C1		
16 (6)	8	1/4	JG16-6	6.5	9	6	13	18	40	8.5	T-12098201	200
	8	5/6	JG16-8	8.5							T-12098202	
25 (4)	6	1/4	JG25-6	6.5	10.0	7.0	14.0	19.0	45.0	9.0	T-12098203	
	8	5/6	JG25-8	8.5							T-12098204	
	10	3/8	JG25-10	10.5							T-12098205	
35 (2)	6	1/4	JG35-6	6.4	11.0	8.0	16.0	22.0	50.0	11.0	T-12098206	100
	8	5/6	JG35-8	8.5							T-12098207	
	10	3/8	JG35-10	10.5							T-12098208	
50 (1/0)	6	1/4	JG50-6	6.4	13.0	10.0	18.5	23.0	54.5	12.0	T-12098209	50
	8	5/6	JG50-8	8.5							T-12098210	
	10	3/8	JG50-10	10.5							T-12098211	
	12	1/2	JG50-12	13.0							T-12098212	
70 (2/0)	8	5/6	JG70-8	8.5	16.0	12.0	22.5	25.0	60.0	12.0	T-12098213	
	10	3/8	JG70-10	10.5							T-12098214	
	12	1/2	JG70-12	13.0							T-12098215	
95 (3/0)	8	5/6	JG95-8	8.5	17.0	13.4	24.5	26.0	66.0	14.0	T-12098216	50
	10	3/8	JG95-10	10.5							T-12098217	
	12	1/2	JG95-12	13.0							T-12098218	
120 (4/0)	8	5/6	JG120-8	8.5	20.0	16.0	29.0	28.0	72.0	15.0	T-12098219	
	10	1/2	JG120-10	10.5							T-12098220	
	12	1/2	JG120-12	13.0							T-12098221	

Product Description:

A **non-insulated terminal** is a type of electrical connector that is commonly used in various industries. It is manufactured with metal material and serves the purpose of connecting or securing the wire. It does not feature an insulating function that can be found with other types of terminals.

These non-insulated terminals can be used in a variety of fields, ranging from electrical and electronic equipment, automotive industry, and home appliances. It has proved to be an effective and reliable way to secure connections in these industries.

Features:

Non-insulated terminals are typically crafted from conductive materials - including copper, aluminum, and so on - providing good conductivity properties for dependable electrical connections. They come in a broad array of shapes and sizes, among them round, flat, U-shaped, F-shaped, and so forth, to address varied connection needs. Additionally, non-insulated terminals may be configured by bolting, crimping, or welding to the wire.

Applications:

Non-insulated terminals can be a great way to secure wires, especially in electronics and the automotive industry. In these scenarios, the wires need to be steady in position and fastened in such a way that they don't shift or become loose. Non-insulated terminals are well

designed which makes it simple to hold the wire in the desired place.

One example of this type of terminal is the U-shaped terminal. This type of terminal is practical, as all you need to do is clip the wires into the terminal and then fasten them on the device with bolts or other fixtures.

Customization:

Non Insulated Ring Terminals

Brand Name: TLC

Model Number: RNB, DRNB, OT

Place of Origin: CHINA

Certification: UL, CUL, CE

Minimum Order Quantity: 1000

Price: USD

Packaging Details: Carton

Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK pcs per month

Color: Silver

Barrel Type: Closed

Tin Plated: Yes

Temperature Rating: 105°C

RoHS Compliant: Yes

TLC offers custom non insulated ring terminals, also called cable lug ring type, for all of your electrical connection needs. Our ring terminals are UL, CUL, and CE certified, and are designed with a closed barrel type and tin plated for superior performance and reliability. They are highly temperature-resistant and RoHS compliant. The minimum order quantity for these ring terminals is 1000 pcs, and they come in silver color. The price is USD, and the delivery time is 5-30 working days.

Support and Services:

Non insulated ring terminals provide technical support and services to customers that require a reliable and secure connection between two wires. These terminals are designed to crimp tightly onto the wire, and provide a secure connection that won't come loose or get damaged. They are available in a variety of sizes and materials, depending on the application. They are also UL listed and rated for up to 600V, making them ideal for use in industrial and commercial applications.

Technical support and service for non insulated ring terminals includes installation guidance, troubleshooting, and product advice.

Customers can contact our technical support team to answer any questions or concerns they may have, and receive guidance on how to properly install and use the product. Our team will also be available to provide troubleshooting assistance, and to help diagnose any issues that may arise with the product.

Additionally, our technical support team is available to provide advice on which product is best suited for a specific application. We can provide customers with detailed information on the various sizes, materials, and ratings available, so they can make an informed decision about which product will best suit their needs.

Packing and Shipping:

Packaging and Shipping

Non Insulated Ring Terminals are packaged in nylon bags or bubble wrap, and securely taped and labeled for shipping.

Shipping is done via regular mail, courier, or other expedited services.

FAQ:

Q: What is TLC Non Insulated Ring Terminals?

A: TLC Non Insulated Ring Terminals are made of high quality copper or aluminum, it is used for fixed connection of electrical cables, with UL, CUL, CE certification, and the model number is RNB, DRNB, OT.

Q: What are the advantages of TLC Non Insulated Ring Terminals?

A: TLC Non Insulated Ring Terminals are easy to install and provide strong and secure connection. It has a good electrical performance and is resistant to corrosion.

Q: What is the minimum order quantity for TLC Non Insulated Ring Terminals?

A: The minimum order quantity for TLC Non Insulated Ring Terminals is 1000 pcs.

Q: What is the price of TLC Non Insulated Ring Terminals?

A: The price of TLC Non Insulated Ring Terminals is USD.

Q: How about the delivery time of TLC Non Insulated Ring Terminals?

A: The delivery time of TLC Non Insulated Ring Terminals is 5-30 working days.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

