

0.3-2.5mm² Non Insulated Ring Terminals Durable And Reliable OT Round Terminals

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: OT
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

- RoHS Compliant: Yes
- Color: Silver
- Tin Plated: Yes
- Product Name: Non Insulated Ring Terminals
- Barrel Type: Closed
- Material: Copper
- Temperature Rating: 105°C
- Insulation: Non-Insulated
- Highlight: tlc 2.5mm² Non Insulated Ring Terminals,
2.5mm² Non Insulated Ring Terminals tlc,
0.3mm² Reliable ring crimp terminal tlc




Product Description



Non-Insulated with Brazed Seam

OT ROUND TERMINALS

Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE mm2 (A.W.G.)	STUD SIZE		ITEM NO	DIMENSION mm								P/N	QTY BOX
	Metric	American		E	W	d	D	B	F	L	T		
0.3-0.5 (26-20)	2	#1	OT0.5-2	2.3	4.5	1.2	2.2	4.0	5.0	11.3	0.7	T-12093101	1000
	2.5	#1	OT0.5-2.5	2.8	5.5				6.0	12.8		T-12093102	
	3	#4	OT0.5-3	3.0	6.0				7.0	14.0		T-12093103	
	4	#8	OT0.5-4	4.3	8.0				8.0	16.0		T-12093104	
	5	#10	OT0.5-5	5.5	10.0				9.0	18.0		T-12093105	
0.5-1.5 (22-16)	2	#1	OT1-2	2.5	5.0	1.6	3.2	5.0	5.5	13.0	0.8	T-12093106	1000
	2.5	#1	OT1-2.5	3.0	6.0				6.0	14.0		T-12093107	
	3	#4	OT1-3	3.0	6.6				6.0	14.0		T-12093108	
	4	#8	OT1-4	4.0	8.0				8.0	16.0		T-12093109	
	5	#10	OT1-5	5.0	8.0				9.0	16.0		T-12093110	
	6	1/4"	OT1-6	6.0	12.0				11.0	22.0		T-12093111	
	8	5/16"	OT1-8	7.5	15.0				13.0	25.5		T-12093112	
0.5-1.5 (22-16)	2.5	#1	OT1.5-2.5	2.8	6.0	1.9	3.5	5.0	6.0	14.0	0.7	T-12093113	1000
	3	#4	OT1.5-3	3.3	8.0				7.0	14.0		T-12093114	
	4	#8	OT1.5-4	4.3	8.0				8.0	16.0		T-12093115	
	5	#10	OT1.5-5	5.5	8.0				9.0	16.0		T-12093116	
	6	1/4"	OT1.5-6	6.5	12.0				11.0	22.0		T-12093117	
	8	5/16"	OT1.5-8	7.5	15.0				13.0	25.5		T-12093118	
1.5-2.5 (16-14)	3	#4	OT2.5-3	3.3	8.0	2.6	4.2	5.0	7.0	16.0	0.8	T-12093119	1000
	4	#8	OT2.5-4	4.3	8.0				8.0	17.0		T-12093120	
	5	#10	OT2.5-5	5.5	9.5				9.0	17.0		T-12093121	

Product Description:

A **non-insulated terminal** is an electrical connector used in a variety of sectors, including electronic and electrical equipment, automotive industry, and home appliances. It is mainly used to connect or secure wiring, and is usually constructed with metal material, which does not provide any insulation.

Notably, this type of terminal is utilized across a wide range of industries due to its effectiveness and versatility. It is known to be a reliable and robust method of connecting wiring and has contributed to the advancement of the aforementioned fields.

Features:

Non-insulated terminals are widely used in many applications because of their excellent electrical conductivity and the variety of shapes and sizes available. They can be made from a range of conductive materials, such as copper and aluminum, and are easily secured to wires using either bolted, crimped, or welded methods.

The key advantages of non-insulated terminals are their high electrical conductivity, easy installation, and versatility. All these factors make them the ideal choice for a wide range of applications, from lighting fixtures to home appliances.

Applications:

Non-insulated terminals are often used to secure wires in electronics, automotive industry, and other engineering fields. These terminals

feature a thoughtful design, making it easy to anchor the wires in the desired and secure position. For instance, U-shaped terminals allow attaching the wires to it by clamping them with bolts or other fixing elements.

Customization:

About Non Insulated Ring Terminals

Non Insulated Ring Terminals are manufactured by TLC, with model numbers RNB, DRNB, OT. They are UL, CUL, CE certified and the minimum order quantity is 1000. The price is in USD and the packaging details are carton. The delivery time is 5-30 working days, the payment terms are T/T and the supply ability is 1KK pcs per month. The product is made of copper and the barrel type is closed, the temperature rating is 105°C and the insulation is non-insulated.

Keywords: Ring cable lug, Ring cable lug, Ring cable lug

Support and Services:

Non Insulated Ring Terminals technical support and service provides customers with a wide range of services. These services include the selection and installation of the right product, troubleshooting, maintenance, and repair of any product related issues. Technical support and service also provides customers with product information, such as installation instructions, product specifications, and technical advice. Furthermore, Non Insulated Ring Terminals technical support and service provides customers with access to product updates, such as new releases, and any other relevant information.

Packing and Shipping:

Packaging and Shipping for Non Insulated Ring Terminals

Non Insulated Ring Terminals are packaged in cardboard boxes. The boxes come in a variety of sizes depending on the size of the terminals, and typically include an inner tray to keep the terminals in place during shipment.

The boxes are sealed with tape to ensure that the contents remain safe and secure. The terminals are then labeled with a unique product identification code to allow for easy tracking during shipping.

Once the Non Insulated Ring Terminals are packaged, they are ready to be shipped. Shipping is typically done via air or ground transport, depending on the destination. All shipments are tracked and monitored to ensure timely and safe delivery.

FAQ:

What is the brand name of the Non Insulated Ring Terminals?

The brand name of the Non Insulated Ring Terminals is TLC.

What are the model numbers of the Non Insulated Ring Terminals?

The model numbers of the Non Insulated Ring Terminals include RNB, DRNB, and OT.

Where are the Non Insulated Ring Terminals manufactured?

The Non Insulated Ring Terminals are manufactured in China.

What certifications do the Non Insulated Ring Terminals have?

The Non Insulated Ring Terminals have UL, CUL, and CE certifications.

What is the minimum order quantity for the Non Insulated Ring Terminals?

The minimum order quantity for the Non Insulated Ring Terminals is 1000 pieces.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City