8-120mm2 90°C Tin Plated Silver Copper Cable Lug - Temperature Rating -40-105°C

Basic Information

Place of Origin: ChinaBrand Name: TLC

• Certification: UL, CUL, CE

Model Number: 90D Minimum Order 1000

Quantity:

• Price: USD

Packaging Details: bag, Carton packageDelivery Time: 5-30 working days

• Payment Terms: T/T

• Supply Ability: 500K pcs per month



Product Specification

Product Name: 90 Degree Cable Lug

Finish: Tin Plated
Color: Silver
Material: Copper
Package Quantity: 1000-10pcs
Temperature Rating: -40-105°C
Shape: Lug

• Highlight: 120mm2 90 Degree Cable Lug tlc,

tlc 90 Degree Cable Lug 120mm2, tlc Tin Plated Copper Cable Lug 105°C




Non-Insulated - Copper Lugs

TUBULAR LUGS TERMINALS


Material Terminal Body: Copper Plating: Tin





| WIRE RANGE mm2 (A.W.G) | STUD SIZE | | | DIMENSION mm(inch) | | | | | | | | | QTY |
|---------------------------------|-----------|---------|--------------|--------------------|------|--------|-----|------|-------------|------------|-----|------------|-----|
| | Metric | Amerian | ITEM NO | E | w | D | d1 | u | L2 | C1 | т | P/N | вох |
| 8 (12-10) | 4 | #8 | TYF10-4-90D | 4.3 | 13.0 | 8.0 | 5.0 | | > | 6.5 8.5 | 2.7 | T-12094501 | 200 |
| | 5 | #10 | TYF10-5-90D | 5.3 | | | | 18.0 | | | | T-12094502 | |
| | 6 | 1/4 | TYF10-6-90D | 6.4 | | | | | 15.0 | | | T-12094503 | |
| | 8 | 5/16 | TYF10-8-90D | 8.4 | 13.5 | | | | | | | T-12094504 | |
| | 10 | 3/8 | TYF10-10-90D | 10.5 | | | | 20.5 | 2 | | | T-12094505 | |
| 16 (6) | 4 | #8 | TYF16-4-90D | 4.3 | 13.0 | 9.0 | 6.0 | - | 111 | 6.5 | 2.7 | T-12094506 | 200 |
| | 5 | #10 | TYF16-5-90D | 5.3 | | | | 18.0 | | | | T-12094507 | |
| | 6 | 1/4 | TYF16-6-90D | 6.4 | | | | | 17.0 | | | T-12094508 | |
| | 8 | 5/16 | TYF16-8-90D | 8.4 | | | | 20.5 | | 8.5 | 2.6 | T-12094509 | |
| | 10 | 3/8 | TYF16-10-90D | 10.5 | | | | | | | | T-12094510 | |
| 25 (4) | 5 | #10 | TYF25-5-90D | 5.3 | 16.0 | 11.0 | 8.0 | 20.5 | 18.5 | | | T-12094511 | 200 |
| | 6 | 1/4 | TYF25-6-90D | 6.4 | | | | | | 6.5 | 2.8 | T-12094512 | |
| | 8 | 5/16 | TYF25-8-90D | 8.4 | | | | | | 8.5 | | T-12094513 | |
| | 10 | 3/8 | TYF25-10-90D | 10.5 | | | | 25.0 | | 11.5 | | T-12094514 | |
| 35 (2) | 6 | 1/4 | TYF35-6-90D | 6.4 | 17.0 | - 13.0 | 9.0 | 20.5 | 22.5 | 6.5 | 2.7 | T-12094515 | |
| | 8 | 5/16 | TYF35-8-90D | 8.4 | | | | | | 8.5 | | T-12094516 | |
| | 10 | 3/8 | TYF35-10-90D | 10.5 | 18.0 | | | 25.0 | | 10.0 | 2.5 | T-12094517 | 100 |
| | 12 | 1/2 | TYF35-12-90D | 13.0 | | | | 26.0 | | 12.0 | | T-12094518 | |

TLC TERMINALS INC.
Terminals 135



Product Description:

The Role of Lug Terminals in Electrical Systems

Lugs terminals are an essential component in electrical systems. They help to establish connections between wires and cables to other types of electrical device or equipment.

Typically these lugs are made up of small metal connectors. They are then attached to the ends of the wires in a secure and reliable way through either crimping or soldering. The design of these lugs is also flexible, in that they come in many shapes and sizes to cater for the diverse types of terminals and wire gauges.

Features:

Lugs terminals are critical components in electrical systems as they offer secure and reliable connections between wires or cables and electrical devices or equipment. It is essential for optimal electrical performance and safety that these are installed adequately. Lugs terminals help to ensure correct and reliable power transmission from the source. Proper installation provides extra protection from power surges and current reptiles. Moreover, it adds a layer of protection for both the device and the user.

Thus, it is important to pay attention to the installation of lugs terminals to guarantee optimal functionality of system components. It is highly recommended to rely on experienced professionals for the installation process to ensure correct and reliable connections.

Applications:

To ensure a strong and stable electrical connection, the combination of lugs and terminals is essential. This is vital for successful transfer of electrical power or signals between devices. With the correct installation of lugs and terminals, it can help avoid any loose connections. If these connections slacken, it may have some negative side effects such as decreased productivity, over-heating, and even lead to an electrical failure

Support and Services:

At 90 Degree Cable Lugs, we provide technical support and service to ensure that our products are of the highest quality and that they meet the needs of our customers. Our technical support team is available 24/7 and can provide assistance with installation, maintenance, troubleshooting, and more. We also offer a wide range of services, including custom design, installation, and warranty coverage. We strive to provide the best possible customer experience, and we stand behind our products 100%.

Packing and Shipping:

Packaging and Shipping for 90 Degree Cable Lug:

The 90 Degree Cable Lug is packaged in a corrugated box for protection during shipping and handling. It is then shipped to the customer via a reliable courier service.

FAQ:

Questions and Answers on 90 Degree Cable Lug

Q1: What is the Brand Name of 90 Degree Cable Lug?

A1: The Brand Name is TLC:

Q2: What is the Model Number of 90 Degree Cable Lug?

A2: The Model Number is 90D.

Q3: Where is 90 Degree Cable Lug made?

A3: 90 Degree Cable Lug is made in China.

Q4: What certifications does 90 Degree Cable Lug have?

A4: 90 Degree Cable Lug has UL, CUL, and CE certifications. Q5: What is the minimum order quantity for 90 Degree Cable Lug?

A5: The minimum order quantity for 90 Degree Cable Lug is 1000 pcs.

TLC TLC TERMINALS TECHNOLOGY LIMITED



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City