

25-50mm² Non-Insulated Tin Plated RoHS Compliant Ring Terminals OT Round

Our Product Introduction

for more products please visit us on cableslugs.com

Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNB, DRNB, OT
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month




Product Specification

- Color: Silver
- RoHS Compliant: Yes
- Tin Plated: Yes
- Material: Copper
- Insulation: Non-Insulated
- Barrel Type: Closed
- Temperature Rating: 105°C
- Product Name: Non Insulated Ring Terminals
- Highlight: 50mm² non insulated ring lugs, non insulated ring lugs RoHS, tin plated copper lugs RoHS



More Images




Product Description



Non-Insulated with Brazed Seam

OT ROUND TERMINALS

Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE		ITEM NO	DIMENSION mm								P/N	QTY BOX
	mm ² (A.W.G)	Metric American		E	W	d	D	B	F	L	T		
25 (4)	6	1/4"	OT25-6	6.5	18.0	8.3	11.9	12.0	12.0	33.0	1.8	T-12093163	200
	8	5/16"	OT25-8	8.5	22.0				11.0	37.0		T-12093164	
	10	3/8"	OT25-10	10.5	22.0				17.0	40.0		T-12093165	
	12	1/2"	OT25-12	13.0	24.0				20.0	44.0		T-12093166	
	14	9/16"	OT25-14	15.0	26.0				22.0	47.0		T-12093167	
35 (2)	6	1/4"	OT35-6	6.5	20.0	9.4	13.0	14.0	12.0	36.0	1.5	T-12093168	200
	8	5/16"	OT35-8	8.5	22.0				14.0	39.0		T-12093169	
	10	3/8"	OT35-10	10.5	23.0				17.0	42.5		T-12093170	
	12	1/2"	OT35-12	13.0	25.0				20.0	46.5		T-12093171	
	14	9/16"	OT35-14	15.0	27.0				22.0	49.5		T-12093172	
	16	5/8"	OT35-16	17.0	30.0				25.0	54.0		T-12093173	
50 (1/0)	8	5/16"	OT50-8	8.5	24.0	11.5	15.1	14.0	14.0	40.0	1.6	T-12093174	200
	10	3/8"	OT50-10	10.5	25.0				17.0	43.5		T-12093175	
	2	1/2"	OT50-12	13.0	26.0				20.0	47.0		T-12093176	
	14	9/16"	OT50-14	15.0	28.0				22.0	50.0		T-12093177	
	16	5/8"	OT50-16	17.0	30.0				25.0	45.0		T-12093178	

Product Description:

A **non-insulated terminal** is an electrical connector typically used for joining or securing wires, often made of metal materials. Unlike its counterparts, the non-insulated terminal lacks insulating function. Many industries utilize non-insulated terminals in their applications, such as electrical and electronic equipment, automotive industry, home appliances, and others.

Features:

Non-insulated terminals are typically constructed with conductive materials like copper, aluminum, and more, delivering excellent conduction performance to guarantee trustworthy electrical connections.

A myriad of shapes and sizes of non-insulated terminals are available, covering rounds, flats, U-shapes, F-shapes, and a host of others to match different connection needs.

Depending on the context, non-insulated terminals may be connected to wires with bolts, crimps, or welds.

Applications:

Non-insulated terminals can be applied to secure wires, especially in electronics and automotive industry. Such terminals feature the feature of moderate structure, which makes it effortless to locate a wire in an expected position.

In further details, U-shaped terminals are very suitable for clipping wires. Additionally, they can be fastened to the devices by utilizing screws or other pieces of hardware.

Customization:

Non-Insulated Ring Terminals

Brand Name: TLC

Model Number: RNB, DRNB, OT

Place of Origin: CHINA

Certification: UL, CUL, CE

Minimum Order Quantity: 1000

Price: USD

Packaging Details: Carton

Delivery Time: 5-30 working days

Payment Terms: T/T

Supply Ability: 1KK pcs per month

Product Name: Non-Insulated Ring Terminals

Temperature Rating: 105°C

Tin Plated: Yes

RoHS Compliant: Yes

Barrel Type: Closed

Keywords: Non Insulated, Ring Cable Lug, Cable Lug Ring Type

Support and Services:

Non Insulated Ring Terminals Technical Support and Service:

Provide installation instructions and technical advice

Provide custom design and manufacturing services

Provide after-sales services such as quality assurance and warranty

Provide on-site technical support and maintenance services

Provide product training and technical support

Packing and Shipping:

Non Insulated Ring Terminals are packaged in protective plastic bags and then shipped in sturdy cardboard boxes.

The cardboard boxes are strong enough to withstand the rigors of shipping and handling, and are designed to protect the product from damage and contamination.

The plastic bags are designed to prevent the product from being exposed to dirt, dust and other contaminants during shipping and storage.

FAQ:

Q1: What is Non Insulated Ring Terminals?

A1: Non Insulated Ring Terminals are a type of electrical connectors and are designed to provide a secure connection between two wires. They are widely used in electrical and electronic systems.

Q2: What is the brand name and model number of Non Insulated Ring Terminals?

A2: The brand name is TLC and the model numbers are RNB, DRNB, and OT.

Q3: Where are Non Insulated Ring Terminals made?

A3: Non Insulated Ring Terminals are made in China.

Q4: What certifications do Non Insulated Ring Terminals have?

A4: Non Insulated Ring Terminals have UL, CUL, and CE certifications.

Q5: What is the minimum order quantity, price, packaging, delivery time, and payment terms for Non Insulated Ring Terminals?

A5: The minimum order quantity is 1000 pieces, the price is USD, the packaging is carton, the delivery time is 5-30 working days, and the payment terms are T/T. The supply ability is 1KK pieces per month.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City