Tin Plated 90D Shape Terminal Lug Copper Tube Cable Lug 90D Wire Inlet

Basic Information

Place of Origin: ChinaBrand Name: TLC

• Certification: UL, CUL, CE

Model Number: 90D Minimum Order 1000

Quantity:

• Price: USD

Packaging Details: bag, Carton packageDelivery Time: 5-30 working days

• Payment Terms: T/T

• Supply Ability: 500K pcs per month



Product Specification

Shape: LugMaterial: Copper

• Package Quantity: 1000-10pcs

• Product Name: 90 Degree Cable Lug

Cable Type: SolidMax Current: 500A

Cable Size: 1.25-250mm2Finish: Tin Plated

• Highlight: 90 degree battery lug 500A,


Tin Plated copper tube lugs 90D, 90D Tin Plated copper tube lug

TLC TERMINALS

Non-Insulated - Copper Lugs

TLK LUGS TERMINALS






Material Terminal Body: Copper Plating: Tin

WIRE RANGE mm2 (A.W.G)	STUD SIZE						QTY						
	Metric	Amerian	ITEM NO	E	w	D	d1	u	L2	C1	т	P/N	вох
4-6 (12-10)	4	#8	TLK6-4-90 D	4.3	10.0	6.5	3.5			8.8	2.2	T-12096101	100
	5	#10	TLK6-5-90 D	5.3				22.5	14.0			T-12096102	
	6	1/4	TLK6-6-90 D	6.4	12.0			24.0			1.9	T-12096103	
	6	1/4	TLK6-6-90 D-L	6.4	12.0			29.0				T-12096104	
	8	5/16	TLK6-8-90 D	8.4	15.0			27.5		10.0	1.5	T-12096105	
	10	3/8	TLK6-10 -90 D	10.5	16.0			29.5		12.0	1.3	T-12096106	
	12	1/2	TLK6-12-90 D	13.0	19.0			37.0		13.0	1.2	T-12096107	
10 (8)	4	#8	TLK10-4-90 D	4.3		7.0	1	23.0	16.0	5.6	1.8	T-12096108	- 100
	5	#10	TLK10-5-90 D	5.3	12.0		4.6	23.0				T-12096109	
	6	1/4	TLK10-6-90 D	6.4				24.0		6.0		T-12096110	
	8	5/16	TLK10-8-90 D	8.4	15.0			28.0		8.0	1.5	T-12096111	
	10	3/8	TLK10-10-90 D	10.5	18.0			29.5		9.2	1.3	T-12096112	
	12	1/2	TLK10-12-90 D	13.0	19.0			37.0		13.0	1.2	T-12096113	
16 (6)	4	#8	TLK16-4-90 D	4.3	12.0			22.5	20.0	5.6	2.8	T-12096114	
	5	#10	TLK16-5-90 D	5.3	12.0			22.3				T-12096115	
	6	1/4	TLK16-6-90 D	6.4	14.0	8.5	5.5	24.0		6.0	2.2	T-12096116	
	8	5/16	TLK16-8-90 D	8.4	15.0			29.0		8.0	2.1	T-12096117	
	10	3/8	TLK16-10-90 D	10.5	18.0			31.0		9.2	1.8	T-12096118	
	12	1/2	TLK16-12-90 D	13.0	19.0			32.0		13.0	1.7	T-12096119	
	6	1/4	TLK16-6-90 D-L	6.4	120			25.0	22.0	10.0	2.6	T-12096120	
	8	5/16	TLK16-8-90 D-L	8.4	13.0	8.8	6.0	36.0				T-12096121	

102 TERMINALS INC.


TLK LUGS TERMINALS



Material Terminal Body: Copper Plating: Tin

WIRE RANGE mm2 (A.W.G)	STUD SIZE		Name and			100000	QTY						
	Metric	Amerian	ITEM NO	E	w	D	d1	L1	L2	C1	т	P/N	вох
25 (4)	5	#10	TLK25-5-90 D	5.3	14.0					7.5	3.0	T-12096122	
	6	1/4	TLK25-6-90 D	6.4	15.0	10.0	6.9	27.5			2.7	T-12096123	
	8	5/16	TLK25-8-90 D	8.4	16.0				21.0	10.0	2.5	T-12096124	100
	10	3/8	TLK25-10-90 D	10.5	18.0			32.5	_	9.2	2.2	T-12096125	1
	12	1/2	TLK25-12-90 D	13.0	19.0			34.0	-	9.5	2.1	T-12096126	
35 (2)	6	1/4	TLK35-6-90D	6.4	17.0	12.0	8.5	28.5	VI.	7.0		T-12096131	100
	8	5/16	TLK35-8-90D	8.4				1		10.0	3.3	T-12096132	
	10	3/8	TLK35-10-90D	10.5	20.0			34.0	24,0	9.2	2.6	T-12096133	
	12	1/2	TLK35-12-90D	10.5	22.0			40.5		11.7	2.4	T-12096134	
	6	1/4	TLK35-6-90D-L	6,4	17,5	12.0	9.2	37.0	28.0	10.0	2.6	T-12096135	
	8	5/16	TLK35-8-90D-L	8.4								T-12096136	
	6	1/4	TLK35-6-90D-XL	6.4	18.3	13.0	9.0	58.0	26.0	8.5	3.8	T-12096137	
	8	5/16	TLK35-8-90D-XL	8.4								T-12096138	
	8	5/16	TLK35-8-90D-XXL	8.4				64.0	25.5	8.0	3.6	T-12096139	1
50 (1/0)	6	1/4	TLK50-6-90D	6.4	20.0 22.5 23.0 28.0	- 14.0	10.0	36.0	28.5	8.5	3.8	T-12096140	
	8	5/16	TLK50-8-90D	8.4				40.0		12.0		T-12096141	- 50
	10	3/8	TLK50-10-90D	10.5								T-12096142	
	12	1/2	TLK50-12-90D	13.0				42.5			3.2	T-12096143	
	14	9/16	TLK50-14-90D	14,0								T-12096144	
	16	5/8	TLK50-16-90D	17.0				50.5	1	16.0	2.7	T-12096145	

TIC TERMINALS INC.
Terminals



Product Description:

Lugs terminals are essential components in electrical systems and play a crucial role in connecting wires or cables to various electrical - - - devices or equipment.

These small metal connectors are crimped or soldered onto the ends of wires and are designed to provide a secure and reliable connection to terminals. Plus, lugs come in various sizes and shapes to accommodate different wire gauges and terminal types.

Technical Parameters:

A 90D terminal lug is an electrical connector commonly used for connecting or securely fastening a wire. They are typically made of ____ metal, and with no insulation material to provide a protective shield.

Non-insulated terminals are widely deployed in many applications such as electronic equipment, automobile manufacturing, household devices and many others.

Applications:

90 Degree Cable Lug from TLC

TLC 90D terminal cable lug is designed for secure connection and easy installation of wire. This 90 degree wire inlet cable lug features solid cable type, lug shape and silver color. It is UL, CUL and CE certified for quality and safety. The minimum order quantity of this 90D terminal cable lug is 1000, and it is packed in bag and carton package. The delivery time of this product is 5-30 working days. The payment terms is T/T, and the supply ability is 500K pcs per month. The package quantity is 1000-10pcs.

Customization:

We offer 90 Degree Cable Lug from TLC. With model number 90D, these cable lugs are certified by UL, CUL and CE. The minimum order quantity is 1000 and the price is USD. The packaging details include bag and carton package. The delivery time is 5-30 working days. T/T is accepted as payment terms and 500K pcs per month is the supply ability. UL Listed is the certifications and the package quantity is from 1000-10pcs. The cable size is from 1.25-250mm2 and the temperature rating is -40-105°C.

Our 90 Degree Cable Lug from TLC is a great choice for various applications. The TLC cable lug is UL certified and terminal lug 90D is also available. If you are looking for a terminal cable lug, our 90D terminal cable lug is an excellent choice.

Support and Services:

We offer technical support and services for our 90 Degree Cable Lug. Our qualified personnel are available to help with the installation and maintenance of our products. We provide a comprehensive range of services including:

Installation instructions

Troubleshooting guidance

On-site technical support

Regular maintenance checks

Replacement parts

We also offer customer service for any queries you may have. Our customer service team is available Monday to Friday 9am - 5pm.

Packing and Shipping:

Packaging and Shipping for 90 Degree Cable Lug:

Packaging: Our 90 Degree Cable Lug will be securely packed in a cardboard box to ensure safe delivery.

Shipping: We offer free shipping for orders of 90 Degree Cable Lug. Delivery times vary depending on your geographical location.

FAQ:

- Q: What is the Brand Name of the 90 Degree Cable Lug?
- A: The Brand Name of the 90 Degree Cable Lug is TLC.
- Q: What is the Model Number of the 90 Degree Cable Lug?
- A: The Model Number of the 90 Degree Cable Lug is 90D.
- Q: Where is the 90 Degree Cable Lug made?
- A: The 90 Degree Cable Lug is made in China.
- Q: What certifications are available for the 90 Degree Cable Lug?
- A: The 90 Degree Cable Lug has UL, CUL, and CE certifications.
- Q: What is the Minimum Order Quantity for the 90 Degree Cable Lug?
- A: The Minimum Order Quantity for the 90 Degree Cable Lug is 1000.





joe@t-terminals.com

@ cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City