25-150mm2 Cord End Terminals Connector NYLON Insulated Round Shape

Basic Information

Place of Origin: ChinaBrand Name: TLC

• Certification: UL, CUL, CE

Model Number: E, ENMinimum Order 1000pcs

Quantity:

• Price: USD

Packaging Details: Bag and Carton package
 Delivery Time: 5-30 working days

• Payment Terms: T/T

• Supply Ability: 1KK - 5Kk pcs per month



Product Specification

• Wire Gauge: 250/300MCM-26AWG

Package Content: 1000-50pcsInsulation: NYLONShape: Round

• Connector Type: Cord End Terminals

Color: Red, Yellow, Blue, Black, Green

Material: Copper

• Highlight: 150mm2 Cord End Terminals Connector,

NYLON Insulated Cord End Terminals, 25mm2 wire terminal connectors



Nylon Insulated

CORD END TERMINALS

Material Insulation: Nylon Terminal Body: Copper Plating: Tin







WIRE RANGE mm (A.W.G.)	ITEM NO.		Nmm(inch	FRENCH	GERMAN	DIN		QTY				
		F:	t.	w	8	D	c	COLOR	COLOR	COLOR	TOOLS	BOX
	E 25-12	12.0 (.472)	24.0 (.945)									
25 (4)	E 25-15	15.0 (.591)	27.0(1.063)	11.0 (433)	12.0 (472)	7.9 (311)	7.5 (295)	BLACK	BROWN	YELLOW	TLC MODEL TLC2000N WITH DIE INDEX TLC MODEL TLC2000P WITH DIE INDEX	250
	E 25-16	16.0 (630)	28.0(1.102)									
	E 25-18	18.0 (,709)	30.0(1.181)									
	E 25-22	22.0 (886)	34.0(1.339)									
35 (2)	E 35-16	16.0 (.630)	30.0(1.181)	12.5 (492)	14.0 (551)	3.7.(343)	837327	RED	BEIGE O	RED •	TLC MODEL TLC2000N WITH DIE INDEX TLC MODEL TLC2000P WITH DIE INDEX	
	E 35-18	18.0 (.709)	32.0(1.260)									
	E 35-22	22.0 (866)	36.0(1.147)									250
	E 35-25	25.0 (984)	39.0(1.535)									
50 (1/0)	E 50-12	12.0 (472)	28.0(1.102)	15.0 (591	16.0 (.630)	(10.9 (429)	0 10.3 (406)	BLUE	OLIVE	BLUE	TLC MODEL TLC2000P WITH DIE BNDEX	250
	E 50-20	20.0 (.787)	36.0(1.417)									
	E 50-25	25.0 (.984)	41.0(1.614)									
76 (2/0)	E 70-20	20.0 (.787)	37.0(1.457)	16.0 (630	0 17.0 (669	7) 14.3 (,563)) 13.5 (531)	YELLOW	YELLOW	YELLOW		
	E 70-25	25.0 (.984)	42.0(1.654)									10
	E 70-27	27.0 (1.063)	44.0(1.732)									
95 (3/0)	E 95-25	25.0 (.984)	44.0(1.732)	18.5 (,728	19.0 (.748)	15.6 (,614)	14.8 (583)	RED	RED	RED		10
120 (4/0)	E 120-27	27.0 (1.063)	47.6(1.874)	20.3 (.799	9 20.6 (811)	17.7 (.697	16.7 (657)	BLUE	BLUE	BLUE		
	E 120-32	32.0 (1.260)	52.6(2.071)									-51
150 258/300MCM	E 150-25	25.0 (.984)	50.6(1.992)) 23.4 (921	3 25.6(1.008)	20.6 (811)	19.6 (772)	YELLOW	YELLOW	YELLOW		
	E 150-27	27.0 (1.063)	52.6(2.071)									51
	E 150-32	32.0 (1.260)	57.6(2.268)									


168 TLC TERMINALS INC.
Cord End



Nylon Insulated

CORD END TERMINALS FOR SHORT CIRCUIT RESISTANT CONDUCTOR

Material Insulation: Nylon Terminal Body: Copper Plating: Tin



WIRE RANGE mn# (A.W.G.)	ITEM NQ		mm(inch)		FRENCH	GERMAN	DIN	20000	ОТУ			
		F	ı	w	В	D	С	COLOR	COLOR	COLOR	TOOLS	BOX
1.5 (16)	E 1508-XL	8.0 (.315)	17.4 (.685)		9.4 (370)	2.1 (.083)	18 (071	BLACK	RED	BLACK	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,00
	E 1510-XL	10.0 (.394)	19.4 (.764)	09/04/194								
25 (14)	E 2508-XL	8.0 (.315)	17.6 (.693)	7.8 (307)	7) 9.6 (.378	26 (102	2.3 (.091	GREY	BLUE	BLUE	TLC MODEL TLC2000L LYB-064 WITH DIE INDEX	1,00
	E 2512-XL	12.0 (.472)	21.6 (.850)									
4 (12)	E 4010-XL	10.0 (.394)	19.5 (.768)		7) 9.5 (374	33 (130	29,(114	ORANGE	GREY	GREY	TLC MODEL TLC2000L LY8-064 WITH DIE INDEX	1,00
	E 4012-XL	12.0 (.472)	21.5 (.846)									
6 (10)	E 6012-XL	12:0 £472)	23.1 (90%)	8.3 (327)	(11.1 (437)	42 (165)	3.B (150)	GREEN	BLACK •	YELLOW	TLC MODEL TLC2000M LY8-065 WITH DIE INDEX	1,00
10 (8)	E 10-12-XL	12.0 (.472)	23.7 (.933)	9.8 (386)	11.7 (461)	4.9 (.193)	4.5 (.177)	BROWN	IVORY	RED •	TLC MODEL TLC2000M LY8-065 WITH DIE INDEX	1,00
16 (6)	E 16-12-XL	12.0 (472)	25.8(1.016)	12.2 (480)	(13.8 (.543)	6.4 (.252)	6.0 (236)	IVORY	GREEN	BLUE	TLC MODEL TLC2000M LY8-065 WITH DIE INDEX	50

TIC TERMINALS INC

Product Description:

Cord end terminals, also known as **cord end ferrules**, are essential electrical components used for *terminating* the ends of electrical wires or cords. These terminals are specifically designed to **provide a secure and reliable connection** between the wire and the terminal block or device.

At our professional manufacturing company, TLC take **pride** in offering a wide range of high-quality cord end terminals to cater to the *diverse needs* of our customers. Our cord end terminals are manufactured using premium-grade materials and **are engineered to meet stringent industry standards**.

Features:

Our cord end terminals offer optimal performance and long-lasting reliability even in demanding applications due to their durable construction and excellent electrical conductivity.

Furthermore, we provide cord end terminals in various sizes and configurations to suit different wire gauges and terminal blocks.

Technical Parameters:

Cord end terminals provide a secure and vibration-resistant connection, reducing the risk of loose or damaged wires. Not only are they designed for easy installation, they can save time and effort during the wiring process.

Applications:

At TLC, we take pride in offering our customers a wide range of high-quality cord end terminals. All our products are made of premiumgrade materials and designed to meet industry standard. Each cord end terminal is strong, highly conductive and performs reliably even under extreme conditions. Our terminals come in different sizes and configurations to ensure compatibility with multiple wires and terminals.

Customization:

TLC. is offering Customized Services.on Non-insulated Cord End Terminals (Model E, EN). Our products are UL, CUL and CE certified -with minimum order quantity of 1000pcs. The price will be based on USD and the package content is 1000-50pcs. Additionally, we offer various colors such as Red, Yellow, Blue, Black and Green. The material is Copper and insulation is Nylon with Wire Gauge of 250/300MCM-26AWG. The delivery time is 5-30 working days and payment terms is T/T. We can supply you with 1KK - 5Kk pcs per

Support and Services:

Our Cord End Terminals are backed by a reliable technical support and service. We provide our customers with comprehensive technical information, including detailed product specifications, technical drawings, and installation instructions. Our experienced technical support team is available to answer any questions you may have about our Cord End Terminals. We also offer on-site installation and troubleshooting services.

Packing and Shipping:

Cord End_Terminals are packaged in sturdy cardboard boxes, and shipped in corrugated boxes with bubble wrap for extra protection. In order to maintain the integrity of the product, they are bubble-wrapped and shipped with care.

FAQ:

What is brand name of Cord End Terminals?

The brand name of Cord End Terminals is TLC.

What is the model number of Cord End Terminals?

The model numbers of Cord End Terminals are E and EN.

Where is Cord End Terminals made?

Cord End Terminals are made in China.

What certifications does Cord End Terminals have?

Cord End Terminals have UL, CUL, and CE certifications.

What is the minimum order quantity for Cord End Terminals?

The minimum order quantity for Cord End Terminals is 1000pcs.





+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City