Excellent Durability Female Connector Cable Lug Connection Full Insulated Male And Female

Basic Information

Place of Origin: ChinaBrand Name: TLC

• Certification: UL, CUL, CE

 Minimum Order Quantity: 1000

• Price:

USD

Packaging Details: bag, carton

• Delivery Time: 5-30 working days

• Payment Terms: T/T

• Supply Ability: 1KK pcs per month



Product Specification

• Durability: Excellent

Application: Industrial ConnectionUsage: Electrical Connector

Current Rating: Full Range
Shape: Round
Surface Finish: Tin Plated
Material: Copper


Color: Red, Green, Yellow, Blue

• Highlight: Durability Cable Lug Connector CUL,

Insulated bullet female connector TLC, CUL bullet female connector Pluggable

FULLY INSULATED FEMALE QUICK DISCONNECTS

Material Insulation: Nylon Terminal Body: Brass Metallic Sleeve: Copper Plating: Tin



WIRE RANGE	MGE NEMA IAB		ITEM NO.	DIMENSIONmm(inch)							FIC	50100	STANDARD	TOOLS	QTY
mm ^l (A.W.G.)			ITEM NO,	w	F L		В	D	С	ŧπ	FIG	COLOR	STANDARD	TOOLS	вох
0.5-1.5	0.5×2.8	.020×.110	FDFNYD1-110(5)	3.2 (.126)		19.5 (.768)				0.3 (.012)	,				
	0.8×2.8	.032×.110	FDFNYD1-110(8)	3.2 (.126)	0.5 (230)	19.5 (.768)	11.0 (433) 4.0	4.0 (.157)	1.7 (.067)	0.3 (1012)	(012) 1	Red	(UL)	TLC MODEL TLC2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34 WITH DIE INDEX COLOR: RED	1,000
	0.5×4.75	.020×.187	FDFNYD1-187(5)	5.0 (.197)	Service Service	5.4 (.252) 20.2 (.795) 7.5 (.295) 21.5 (.846)				0.35(.014)	2				
	0.8×4.75	.032×.187	FDFNYD1-187(8)	5.0 (.197)	CX CO. 2000					0.35(.014)		,			
	0.8×6.35	.032×.250	FDFNYD1-250	6.6 (.260)	7.5 (.295)					0.4 (.016)		?			
	0.5×4.75	.020×.187	FDFNYD2-187(5)	5.0 (.197)	\$1000 may 600	20.2 (795)	11.0 (433)	0 (433) 5.0 (197) 2.		0.35(.014)	-			TLC MODEL TLC2000A WITH DIE INDEX	
1.5-2.5 (16-14)	0.8×4.75	.032×.187	FDFNYD2-187(8)	5.0 (.197)	0.0000000000000000000000000000000000000						Blue	(i)L	COLOR: BLUE OR	1,00	
	0.8×6.35	.032×,250	FDFNYD2-250	6.6 (.260)	7.5 (295)				8	0.4 (.016)	1	1	1000	IZUMI MODEL 34 WITH DIE INDEX COLOR: BLUE	
4-6 (12-10)	0.8×6.35	.032×.250	FDFNYD5-250	6.6 (260)	7.5 (.295	242 (953)	13.0 (512)	6.5 (.256)	3.4 (134)	0.4 (.016)	2	Yellow	(ÚL)	TLC MODEL TLC 2000A WITH DIE INDEX COLOR: YELLOW OR IZUMI MODEL 5 WITH DIE INDEX COLOR: YELLOW	500

FULLY INSULATED MALE QUICK DISCONNECTS

Material Insulation: Nylon Terminal Body: Brass Metallic Sleeve: Copper Plating: Tin





WIRE RANGE	NEMA TAB		ITEM NO.	DIMENSIONmm(inch)							COLOR	STANDARD	TOOLS	ОТУ
mnf (A.W.G.)	Thicknes mm	ss × Width inch		w	F	6	8	D	с	Ť	COLOR	SIANDAKD	10015	QTY BOX
0.5-1.5	0.5×4.75	.020×.187	MDFNYD1-187(5)	4.8 (.189)	6.5 (.256)	22.0 (.866)	11.0 (413)	4.0 (.157)		0.4 (.016)	Red	(h)	TLC MODEL TLC2000A IZUMI MODEL 34	
	0.8×4.75	.032×.187	MDFNYD1-187(8)						1.7 (.067)					500
(22-10)	0.8×6.35	.032×.250	MDFNYD1-250	6.35 (,250)	7.7 (.303)	24.0 (.945								
15-25	0.5×4.75	.020×.187	MDFNYD2-187(5)	4.8 (.189)	6.5 (.256)	22.0 (.866)	11.0 (413)	5.0 (.197)		0.4 (.016)	Blue Yellow			
	0.8×4.75	.032×.187	MDFNYD2-187(8)						2.3 (.091)					
(10-14)	0.8×6.35	.032×.250	MDFNYD2-250	6.35 (,250)	7.7 (.303)	24.0 (.945)				110000000				
4-6 (12-10)	0.8×6.35	.032×.250	MDFNYD5-250	6.35 (,250)	7.7 (.303)	26.0(1.024	13.0 (512	6.5 (,256)	3.4 (.134)	0.4 (.016				

Product Description:

Our Female Connector Cable Lug is the ideal solution for any electrical wiring and connection needs. It is made from high quality copper material and is tin plated for superior surface finish. It features a round shape and is available in red, green, yellow and blue colors. With its full current rating, it is perfect for easy and secure connections of various electrical cables. It is also designed with a cable lug connector pin for easy wiring and reliable connections.

Technical Parameters:

Product Name	Cable Lug Connector
Material	Copper
Usage	Electrical Connector
Current Rating	Full Range
Color	Red, Green, Yellow, Blue
Shape	Round
Surface Finish	Tin Plated
Durability	Excellent
Application	Industrial Connection
Male and Female Terminal Lug	Yes

Female Connector Cable Lug	Yes
Cable Lug Connector	Yes

Applications:

TLC Cable lug connectors are widely used in a variety of industrial and commercial applications. They are a reliable and cost-effective way of connecting wires and cables in an electrical system. This type of connector is UL, CUL, and CE certified, and is available in a variety of colors to fit your specific application. TLC Cable lug connectors offer excellent durability and are available in a range of current ratings for full range use. They are made from copper and come in both male and female terminals. TLC cable lugs are ideal for crimp terminals, wire connectors, and other electrical connectors. With a minimum order quantity of 1000, the price for these cable lugs is USD. The delivery time is 5-30 working days, and they can be shipped in bags or boxes. TLC offers a supply ability of 1KK pcs per month and accepts payment terms of T/T.

Support and Services:

Cable Lug Connector Technical Support & Services

We offer expert technical support and services for our Cable Lug Connector products. Our goal is to ensure that you are able to use our products to the fullest potential and to provide a satisfactory user experience.

Our technical support team is available 24/7 to answer any questions or concerns you may have about our products. We provide technical assistance in the form of telephone support, online chat, and email. Our technicians are knowledgeable and can help you troubleshoot any issue or provide guidance on how to use the product.

In addition to technical support, we also offer a variety of services such as installation, repairs, and maintenance. Our team of professionals can help you install the product correctly and make sure it's up and running quickly. We can also help with any repairs or maintenance you may need.

If you have any questions or require technical support or services for your Cable Lug Connector, please don't hesitate to contact us.

Packing and Shipping:

Packaging and Shipping for Cable Lug Connector

Cable Lug Connector will be securely packaged and shipped in accordance with standard industry practices. This ensures that the product is safe and secure during transit and delivery.

We use the following packaging methods for Cable Lug Connector:

Bubble wrap

Corrugated boxes

Plastic wrap

Foam cushioning

We offer both domestic and international shipping options for Cable Lug Connector. We use trusted couriers for our deliveries and can guarantee timely delivery of the product.

FAQ:

- Q: What is the brand name of the Cable Lug Connector?
- A: The brand name of the Cable Lug Connector is TLC.
- Q: Where is the Cable Lug Connector from?
- A: The Cable Lug Connector is from China.
- Q: What certifications does the Cable Lug Connector have?
- A: The Cable Lug Connector has UL, CUL, and CE certifications.
- Q: What is the minimum order quantity for the Cable Lug Connector?
- A: The minimum order quantity for the Cable Lug Connector is 1000.
- Q: How much does the Cable Lug Connector cost?
- A: The Cable Lug Connector is priced in USD.







