



Silver Non Insulated Tin Plated Ring Terminals 2.5-16mm2 Round Terminal Lugs

Basic Information

- Place of Origin:
- TLC • Brand Name:
- Certification: UL, CUL, CE
- RNB, DRNB, OT Model Number:

CHINA

- Minimum Order 1000 Quantity:
- USD • Price:
- Packaging Details: Carton
- 5-30 working days • Delivery Time:
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

Temperature Rating:	105°C
Insulation:	Non-Insulated
RoHS Compliant:	Yes
• Tin Plated:	Yes
Voltage Rating:	600V
Barrel Type:	Closed
Color:	Silver
Product Name:	Non Insulated Ring Terminals
Highlight:	16mm2 Non Insulated Ring Terminals, Silver Non Insulated Ring Terminals CUL, 16mm2 round terminal lugs Non Insulated

	46234	/INALS					0	B	WELL(+)	H	
WIRE	STUD SIZE				DIME	NSION	mm				QTY
mm2 A.W.G)	Metric	ITEM NO	E	w	F	в	D	d	т	P/N	BOX
	4	DRNB4-2.5	4.3		7.0		4.5		0.8	T-12092923	
	5	DRNBS5-2.5	5.3	8.0	8.5			2.3		T-12092924	
1.5-2.5 (16-14)	5	DRNB5-2.5	5.3	10.0	9.0	5.0				T-12092925	
	6	DRNB6-2.5	6.5	11.0	11.0					T-12092926	
	8	DRNB8-2.5	8.4	14.0						T-12092927	
	10	DRNB10-2.5	10.5	15.0	12.0					T-12092928	
	10	DRNBL10-2.5	10.5	18.0	13.5					T-12092929	
	12	DRNB12-2.5	13.0		15.0					T-12092930	1000
	4	DRNB4-6	4.3	8.0	8.0	6.0	6.0	3.6	1.0	T-12092931	
	5	DRNB5-6	5.3	10.0	9.0					T-12092932	
2.5-6	6	DRNB6-6	6.5	11.0	10.0					T-12092933	
14-10)	8	DRNB8-6	8.4	14.0	13.0					T-12092934	
	10	DRNB10-6	10.5	18.0						T-12092935	
	12	DRNB12-6	13.0		15.0					T-12092936	
	5	DRNB5+10	5.3	10.0	8.0	0 8.0 0	8.0	4.5	1.1	T-12092937	
	6	DRNB6-10	6.5	11.0	9.0					T-12092938	
10 (8)	8	DRNB8-10	8.4	14.0	12.0					T-12092939	
	10	DRNB10-10	10.5	18.0	13.0					T-12092940	
	12	DRNB12-10	13.0	22.0	15.0					T-12092941	500
16 (6)	5	DRNB5-16	5.3		10.0	10.0	10.5	.0.5 5.8	1.2	T-12092942	
	6	DRNB6-16	6.5	11.0						T-12092943	
	8	DRNB8-16	8.4	14.0	12.0	1				T-12092944	

Product Description:

Non-insulated terminals are components that can be used to connect two pieces of metal to ensure efficient electricity flow. They are usually fashioned out of materials such as copper and aluminum that are highly conductive and therefore enhance the reliability

of the connection made. Designers can choose between a rich assortment of shapes, like round, flat, U-shaped, and F-shaped, in order to respond to specific connection requirements.

TLC TERMINALS INC. Terminals

67

Installation of non-insulated terminals is possible in several ways: bolting, crimping, or manufacturing welding.

Technical Parameters:

Product Name	Non Insulated Ring Terminals
Insulation	Non-Insulated
Tin Plated	Yes
Color	Silver
Material	Copper

Temperature Rating	105°C
Voltage Rating	600V
Barrel Type	Closed
RoHS Compliant	Yes

Applications:

One of the main functions of non-insulated terminals is to **connect wires**. Usually, the wire is inserted through a hole or notch in the terminal, and then secured by bolting, crimping, or welding. This connection ensures a **stable connection** between the wire and other electrical equipment or components, so as to achieve the transmission of current.

Non-insulated terminals can also be used to **secure wires**. In electronics or the automotive industry, wires need to be fixed in a specific position to prevent movement or loosening. Non-insulated terminals usually have a reasonably designed construction that makes it easy to hold the wire in the desired position. For example, **U-shaped terminals** can clip wires into them and then secure them to the device by bolts or other fixtures.

Customization:

Non Insulated Ring Terminals

Brand Name: TLC Model Number: RNB, DRNB, OT Place of Origin: CHINA Certification: UL, CUL, CE Minimum Order Quantity: 1000 Price: USD Packaging Details: Carton Delivery Time: 5-30 working days Payment Terms: T/T Supply Ability: 1KK pcs per month Tin Plated: Yes Temperature Rating: 105°C RoHS Compliant: Yes Color: Silver

Our Non Insulated Ring Terminals are made from superior quality copper and tin plated for added protection. They are UL, CUL, and CE certified for safety and reliability. These ring cable lugs are RoHS compliant and temperature rated for 105°C. They come in minimum order quantity of 1000 at a price of USD. Packaging is done in cartons and delivery time is 5-30 working days. Payment can be done via T/T and we can supply up to 1KK pcs per month.

Choose our Non Insulated Ring Terminals for the best quality and performance. They come with ring cable lug terminals and ring terminals for extra durability and strength.

Support and Services:

Non Insulated Ring Terminals Technical Support and Services

We offer a variety of technical support and services for Non Insulated Ring Terminals. Our team of experts are available to help you with any questions or issues you may have.

We provide detailed product information and technical guidance for Non Insulated Ring Terminals, as well as installation support and troubleshooting assistance. Our team can also advise on the best possible installation practices for your specific application. We also offer a range of support services including product warranty, return and exchange policies, and repair services. Our team is available to answer any questions or provide advice on any of these services.

For more information on Non Insulated Ring Terminals technical support and services please contact us today.

Packing and Shipping:

Packaging and Shipping for Non Insulated Ring Terminals

Packaging

Non insulated Ring Terminals are packaged in resealable plastic bags in quantities of 25, 50 or 100 pieces. The bags are labeled with the product description, quantity and date of packaging.

Shipping

Non insulated Ring Terminals are shipped in sturdy cardboard boxes. The boxes are labeled with the product description, quantity, date of packaging and the customer's address. Shipping is done by a reliable courier service.

FAQ:

Q: What brand are TLC Non Insulated Ring Terminals?

A: TLC is the brand name of the Non Insulated Ring Terminals.

- Q: What are the model numbers of TLC Non Insulated Ring Terminals?
- A: The model numbers of TLC Non Insulated Ring Terminals are RNB, DRNB and OT.
- Q: Where are TLC Non Insulated Ring Terminals manufactured?
- A: TLC Non Insulated Ring Terminals are manufactured in China.
- Q: What certifications do TLC Non Insulated Ring Terminals have?

A: TLC Non Insulated Ring Terminals have UL, CUL and CE certifications.

Q: What is the minimum order quantity for TLC Non Insulated Ring Terminals?

A: The minimum order quantity for TLC Non Insulated Ring Terminals is 1000.

TLC TERMINALS TECHNOLOGY LIMITED

& +8615338876153

joe@t-terminals.com

cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City