

Copper Terminal Lugs Energy Storage Terminals Customized Non Insulated Copper Tube Terminals Tubular Lugs Terminals

Our Product Introduction

for more products please visit us on cableslugs.com

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, cUL, CE
- Model Number: TLK
- Minimum Order Quantity: 50-1000pcs
- Price: 0-0.5USD/PC
- Packaging Details: Carton size: 33X25X21CM
- Delivery Time: 5-20 working days
- Supply Ability: 600-800K pcs per month



Product Specification

- Material: T1 & T2 Red Copper
- Special: OEM Service Offered
- Packing Detail: 50pcs A Bag
- Country Of Origin: ShenZhen City ,China
- Color: Silver
- Type: Tube Terminal
- Cable Size: 6mm²-625mm²
- Application: Industrial, Commercial, And Residential Use
- Port: ShenZhen Port
- Shape: Tubular
- Manufacturer: Various Manufacturers Available
- Insulation: Non-insulated
- Surface Treatment: Tinned
- Size: Various Sizes Available
- With Inspection Hole: No



More Images



Product Description

TLC was founded in 2011, is a high-tech enterprise focusing on the research & development, production, sales and service of copper terminals, with more than 210 employees. Providing one-stop services from product design, mold manufacturing, precision stamping, assembling, shipment to after-sales services. The factory has passed ISO9001, IATF16949 and other system certification; They are two manufacturing centers in Shenzhen and Wenzhou, annual production abilities are hundreds of millions of terminals.


TYF Lugs Terminals Specification:



Non-Insulated - Copper Lugs

TUBULAR LUGS TERMINALS

Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE		ITEM NO	DIMENSION mm								P/N	QTY BOX
mm ² (A.W.G)	Metric	Amerian		E	D	d	W	B	C1	L	T		
10 (8)	4	#8	TYF10-4	4.3	8.0	5.0	11.5	9.0	6.0	28.0	2.9	T-12094101	500
	5	#10	TYF10-5	5.3								T-12094102	
	6	1/4	TYF10-6	6.4								T-12094103	
	8	5/16	TYF10-8	8.4			13.5	7.5	32.0	2.5	T-12094104		
	10	3/8	TYF10-10	10.5			16.0	8.0	34.0	2.0	T-12094105		
16 (6)	4	#8	TYF16-4	4.3	9.0	6.0	13.0	10.0	8.0	33.0	2.8	T-12094106	500
	5	#10	TYF16-5	5.3								T-12094107	
	6	1/4	TYF16-6	6.4								T-12094108	
	8	5/16	TYF16-8	8.4			16.0	10.0	38.0	2.2	T-12094109		
	10	3/8	TYF16-10	10.5							T-12094110		
	12	1/2	TYF16-12	13.0			22.0		12.0	47.0	1.4	T-12094111	

Product Description:

High-quality TYF Lugs Terminals: The TLC Guarantee

TYF Lugs Terminals, often referred to as cord end ferrules, play an important role in making secure and reliable electrical connections. At TLC, we take pride in offering a wide range of cable terminals that are designed to meet the most demanding industry specifications.

Our expert team is committed to manufacturing premium-grade cable terminals that offer exceptional resistance to corrosion, temperature variations and other environmental stress. Our products have had an outstanding record of performance in a variety of industries, ranging from industrial machinery and home applications to automotive and defense components.

Whether it's a simple cord end ferrule or a special design, TLC guarantees the highest quality of product that is customized to meet your specific needs. We make sure your cord end terminals provide the reliable and safe connection your system requires.

TYF LugsTerminals Features:

Our TYF Lugs Terminals are designed to provide superior performance and long-term reliability. Their durable construction and excellent electrical conductivity make them ideal for even the most demanding applications.

We offer a wide range of sizes and configurations, so you're sure to find the perfect TYF Lugs Terminals for your specific wire gauge and terminal block.

Technical Parameters:

TYF Lugs Terminals are designed for easy and quick installation, helping users to save time and effort in the wiring process. Moreover, they also offer a secure and vibration-resistant connection, which could effectively prevent the risk of loose or damaged wires

Moreover, their using of these terminals could save the cost of labor since the wires do not need much manual processing. The TYF Lugs Terminals are more user-friendly and could greatly reduce tedious manual work.

Applications:

At our professional manufacturing company, TLC, we take pride in offering a wide range of high-quality TYF Lugs Terminals to cater to the diverse needs of our customers. We manufacture these terminals using premium-grade materials and engineer them to meet stringent industry standards.

Our TYF Lugs Terminals are highly durable and offer excellent electrical conductivity - even in demanding applications. They are available in various sizes and configurations, to accommodate different wire gauges and terminal blocks.

Customization:

Customized TYF Lugs Terminals from TLC

Brand Name: TLC

Model Number: TYF

Place of Origin: China

Certification: UL, CUL, CE

Minimum Order Quantity: 50-1000pcs

Price: USD

Packaging Details: Bag and Carton package

Delivery Time: 5-20 working days

Payment Terms: T/T

Supply Ability: 600K - 800K pcs per month

Package Content: 1000-50pcs

Connector Type: Lugs Terminals

Wire Range: 10(8)- 300(500) mm² (A.W.G)

Shape: Tubular

Coating: Tin

Agency Approvals:

IATF16949

ISO9001-2015



Technical Support and Services:

TYF Lugs Terminals Technical Support and Service

We provide comprehensive technical support and service for our TYF Lugs Terminals products. Our team of experienced professionals is available to answer any questions you may have about installation, operation, and maintenance. We offer a dedicated customer service hotline to provide quick and efficient assistance. We also provide a range of online resources and documentation to help you get the most out of TYF Lugs Terminals product. Our team is always available to provide technical advice and support. We understand the importance of keeping your TYF Lugs Terminals product up-to-date with the latest software and hardware updates. We provide regular software updates and notifications to ensure your product is always running optimally. We strive to provide the best customer experience and satisfaction. If you have any questions or concerns, please don't hesitate to contact us.

Professional Packing and Shipping:

Packaging Carton:



Shipping of TYF Lugs Terminals.

TYF Lugs Terminals are usually shipped in bulk, in protective packaging such as cardboard boxes and plastic bags. Depending on the product, it may also be necessary to use cushioning materials like bubble wrap or foam to ensure that the product arrives in its original condition. In addition, it is important to ensure that the product is properly labelled with all relevant information, such as product name, weight, dimensions, and manufacturer's details. This will help to ensure that the product is properly identified when it arrives at its destination. When shipping TYF Lugs Terminals, it is important to take into account the size and weight of the product, as well as the distance it needs to travel. If necessary, it may be necessary to use a specialist shipping company to ensure that the product arrives safely and on time. It is also important to factor in any possible delays due to customs clearance or other unforeseen circumstances. It is advisable to use a tracked service to ensure that the product can be tracked at all times.

TLC factory's pictures:

Stamping machines



Automatic department



Heat treatment



Laboratory



FAQ:

Frequently Asked Questions

Q: What is the brand name of theTYF Lugs Terminals?

A: The brand name of theTYF Lugs Terminals is TLC.

Q: What is the model number of theTLK Lugs Terminals?

A: The model number of theTYF Lugs Terminals is TLK.

Q: Where is the place of origin of theTLK Lugs Terminals?

A: The place of origin of theTYF Lugs Terminals is China.

Q: What certifications does the TYF Lugs Terminals have?

A: The TLK Lugs Terminals have UL, cUL, and CE certifications.

Q: What is the minimum order quantity of theTYF Lugs Terminals?

A: The minimum order quantity of theTYF Lugs Terminals is 50-1000pcs.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

