

Full Insulated PVC Quick Disconnect Electrical Connector Male And Female Terminal Lugs

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: FDFD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification


- Usage: Electrical Connector
- Color: Red, Green, Yellow, Blue
- Durability: Excellent
- Shape: Round
- Application: Industrial Connection
- Material: Copper
- Surface Finish: Tin Plated
- Current Rating: Full Range
- Highlight: **Full Insulated PVC quick lug,
PVC Female Terminal Lugs,
Male And Female Terminal Lugs**

for more products please visit us on cableslugs.com

Product Description

FULLY INSULATED
FEMALE QUICK DISCONNECTS

Material
Insulation: Vinyl
Terminal Body: Brass
Metallic Sleeve: Copper
Plating: Tin



WIRE RANGE mm ² (A.W.G.)	NEMA TAB	ITEM NO.	DIMENSION mm (inch)							COLOR	STANDARD	TOOLS	QTY BOX
			W	F	L	B	D	C	T				
0.5-1.5 (22-16)	0.5×2.8 .020×.110	FDFD1-110(5)	3.2 (126)	6.5 (256)	18.0 (748)	10.5 (413)	3.8 (150)	1.7	0.3 (012)	Red	UL	TLC MODEL TLC2000A WITH DIE INDEX COLOR: RED OR IZUMI MODEL 34 WITH DIE INDEX COLOR: RED	1,000
	0.8×2.8 .032×.110	FDFD1-110(8)	3.2 (126)	6.5 (256)	18.0 (748)				0.3 (012)				
	0.5×4.75 .020×.187	FDFD1-187(5)	5.0 (197)	6.4 (252)	20.5 (807)				0.35 (014)				
	0.8×4.75 .032×.187	FDFD1-187(8)	5.0 (197)	6.4 (252)	20.5 (807)				0.35 (014)				
	0.5×5.2 .020×.205	FDFD1-205(5)	5.7 (224)	5.8 (228)	20.2 (795)				0.4 (016)				
	0.8×5.2 .032×.205	FDFD1-205(8)	5.7 (224)	5.8 (228)	20.2 (795)				0.4 (016)				
	0.8×6.35 .032×.250	FDFD1-250	6.6 (260)	7.5 (295)	21.8 (858)				0.4 (016)				
1.5-2.5 (16-14)	0.5×2.8 .020×.110	FDFD2-110(5)	3.2 (126)	6.5 (256)	18.0 (748)	10.5 (413)	4.7 (185)	2.3	0.3 (012)	Blue	UL	TLC MODEL TLC2000A WITH DIE INDEX COLOR: BLUE OR IZUMI MODEL 34 WITH DIE INDEX COLOR: BLUE	1,000
	0.8×2.8 .032×.110	FDFD2-110(8)	3.2 (126)	6.5 (256)	18.0 (748)				0.3 (012)				
	0.5×4.75 .020×.187	FDFD2-187(5)	5.0 (197)	6.4 (252)	20.2 (796)				0.35 (014)				
	0.8×4.75 .032×.187	FDFD2-187(8)	5.0 (197)	6.4 (252)	20.2 (796)				0.35 (014)				
	0.5×5.2 .020×.205	FDFD2-205(5)	5.7 (224)	5.8 (228)	20.2 (795)				0.4 (016)				
	0.8×5.2 .032×.205	FDFD2-205(8)	5.7 (224)	5.8 (228)	20.2 (795)				0.4 (016)				
	0.8×6.35 .032×.250	FDFD2-250	6.6 (260)	7.5 (295)	22.2 (874)				0.4 (016)				
4-6 (12-10)	0.8×6.35 .032×.250	FDFD5-250	6.6 (260)	7.5 (295)	24.2 (953)	12.5 (492)	6.2 (244)	3.4	0.4 (016)	Yellow	UL	TLC MODEL TLC2000A WITH DIE INDEX COLOR: YELLOW OR IZUMI MODEL 5 WITH DIE INDEX COLOR: YELLOW	500
	1.2×9.4 .047×.375	FDFD5-375	10.0 (394)	12.0 (472)	30.5 (1201)				0.5 (020)				

Product Description:

Cable lug connectors are pluggable connectors that are used as an electrical connection for industrial applications. With a wide variety of shapes, colors, and current ratings, these connectors are designed to easily connect cables and provide full range of electrical current. Our cable lug connectors come in a round shape and are available in red, green, yellow, and blue colors. To ensure a secure and reliable connection, the cable lug connector is designed with a pluggable connector which offers superior performance in a variety of industrial settings.

Our cable lug connectors are designed with superior quality materials and provide superior performance in a variety of industrial settings. With a full range of current ratings, these connectors offer reliable and secure connections. The superior construction and design of these connectors provide a high level of durability and reliability. Our cable lug connectors are designed to meet the highest industry standards and are ideal for a wide range of applications.

Our cable lug connectors provide a secure and reliable connection for industrial applications. With superior construction and superior performance, these connectors are designed to provide reliable and secure connections for a variety of industrial settings. Available in a wide range of colors, shapes, and current ratings, these connectors are designed to meet the highest industry standards and are ideal for a wide range of applications.

Technical Parameters:

Attribute	Value
Durability	Excellent
Material	Copper
Surface Finish	Tin Plated
Usage	Electrical Connector
Shape	Round
Color	Red, Green, Yellow, Blue
Product Name	Cable Lug Connector
Current Rating	Full Range
Application	Industrial Connection

Terminal Lug Type	Male and Female
Connector Type	Terminal connector, Male connector cable lug

Applications:

TLC's cable lug connector is a pluggable connector, which is widely used in industrial connection. It is designed to be round shape and made of copper material with tin plated surface finish. It is UL, CUL and CE certified and has a minimum order quantity of 1000 pieces. The price is USD and the package is bag and carton. The delivery time is 5-30 working days and payment terms is T/T. The supply ability is 1KK pcs per month.

The cable lug connector is an ideal choice for industrial applications. It is reliable and cost-effective. The UL, CUL, CE certified connector ensures the safety of the user. The copper material with tin plated surface finish is corrosion resistant and has a long service life. The pluggable connector is easy to install and maintain. The delivery time is fast and the supply ability is sufficient.

TLC's cable lug connector is a top choice for industrial connection. It is the perfect combination of quality and price. It is certified and reliable, and it provides a safe and efficient solution for industrial connection.

Support and Services:

Cable Lug Connector Technical Support and Service

We offer comprehensive technical support and service for our Cable Lug Connectors. Our technical staff will be happy to answer any of your questions regarding the product and its applications. We also provide installation and troubleshooting assistance, as well as product upgrades and replacements, when necessary.

In addition, we have a variety of resources available on our website to help you make the most of your Cable Lug Connectors. Our online tutorials and product documentation provide step-by-step instructions for installation and setup, and our FAQs can help you find answers to common questions.

If you have any further questions or require additional assistance, please do not hesitate to contact our technical support team. Our friendly and knowledgeable team is available to answer any of your queries.

Packing and Shipping:

Cable Lug Connectors are shipped in corrugated boxes, with the connectors placed in a foam insert to ensure safe and secure transit. All packages are clearly labeled with the product name and part number, as well as any special instructions for shipping and handling. The boxes are sealed with packing tape to prevent any tampering with the contents.

Larger orders may be shipped on pallets, with the connectors secured with stretch wrap to prevent shifting during transit. The pallet is labeled with the customer's name, address, and order information, as well as a detailed list of the contents.

FAQ:

Q1: What is the brand name of Cable Lug Connector?

A1: The brand name of Cable Lug Connector is TLC.

Q2: Where is the Cable Lug Connector from?

A2: The Cable Lug Connector is from China.

Q3: What certifications are available for the Cable Lug Connector?

A3: The Cable Lug Connector is UL, CUL, CE certified.

Q4: What is the minimum order quantity for the Cable Lug Connector?

A4: The minimum order quantity for the Cable Lug Connector is 1000.

Q5: How much is the Cable Lug Connector?

A5: The price of the Cable Lug Connector is USD.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City