

70-150mm² Nylon Insulated Ring Terminals With Brazed Seam Double Crimp

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNY, DRNYB, RNYD, RD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 500K - 3KK pcs per month



Product Specification

- Color: Red, Yellow, Blue, Black, Green
- Stud Type: Tin Plated
- Packaging Type: Carton
- Manufacturer: TLC
- Material: Copper
- Product Name: Insulated Ring Terminals
- Barrel Type: Crimped
- Packaging Quantity: 1000-50 Pieces
- Highlight: 150mm² Nylon insulation lug,
insulation lug With Brazed Seam 70mm²,
150mm² double crimp ring terminal



for more products please visit us on cableslugs.com


Product Description



Nylon Insulated with Brazed Seam

RING TERMINALS
DIN 46237

Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO.	DIMENSION mm							COLOR	STANDARD	TOOLS	QTY BOX
			d2	W	I	d1	D	E	T				
70	6	DRNYB6-70	6.5							Yellow	UL		
	8	DRNYB8-70	8.4										
	10	DRNYB10-70	10.5										
	12	DRNYB12-70	13.0										
	16	DRNYB16-70	17.0	28.0	55.0								
95	8	DRNYB8-95	8.4							Red	UL		
	10	DRNYB10-95	10.5	24.0	57.5	15.0	21.7	35.5	2.5				
	12	DRNYB12-95	13.0										
	16	DRNYB16-95	17.0	28.0	59.5								
120	8	DRNYB8-120	8.4							Blue	UL		
	10	DRNYB10-120	10.5	24.0	62.0	16.5	24.2	40.0	3.0				
	12	DRNYB12-120	13.0										
	16	DRNYB16-120	17.0	28.0	66.0								
150	10	DRNYB10-150	10.5							Yellow	UL		
	12	DRNYB12-150	13.0	30.0	70.0	19.0	27.2	44.0	3.2				
	16	DRNYB16-150	17.0										

Product Description:

Insulated ring terminals are electrical connectors that are specifically designed to provide secure connections between wires and terminal blocks or studs. Their circular shape with a hole in the center allows for easy attachment to an existing screw or bolt.

The insulation covering these terminals serves a dual purpose. It helps to provide insulation against potential shorts, and reduces the chance of fires or electric shock.

Features:

These terminals are insulated with materials such as PVC or nylon, which helps to make the wires safe and secure. It also serves to protect them from damage or short circuits that could potentially lead to electrically hazardous situations.

In addition, the insulation helps to provide electrical insulation, making sure that the connections established are reliable and, above all, properly secure.

Applications:

Insulated ring terminals are widely popular for use in automotive, marine, industrial, and electrical projects. These terminals come in various sizes; they are designed to fit different wire gauge and stud sizes.

To put an insulated ring terminal to use: the insulation layer of the wire should first be removed; the bare end should then be inserted into the terminal. A crimping tool is then used to secure the terminal and Wire together; creating a strong and long lasting connection.

Afterward, the terminal could be attached to a terminal block or stud using a screw or bolt.

Support and Services:

Technical support and service for Insulated Ring Terminals is available from the manufacturer. Customers can contact the manufacturer directly for technical assistance, product information, or any other questions related to Insulated Ring Terminals. The manufacturer can provide instructions and advice on product installation, use, and maintenance. Additionally, the manufacturer can provide repair and replacement services for defective Insulated Ring Terminals.

Packing and Shipping:

Packaging and Shipping

Insulated Ring Terminals are carefully packed in heavy-duty cardboard boxes with individual compartments. The boxes are then placed in sealed plastic bags and shipped in standard cardboard shipping boxes. The shipping boxes are sealed and labeled for the customer's convenience.

FAQ:

Q: What is TLC Insulated Ring Terminals?

A: TLC Insulated Ring Terminals are electrical terminals that are used to connect two or more cables or wires together.

Q: What is the model number of TLC Insulated Ring Terminals?

A: The model numbers of TLC Insulated Ring Terminals are RNY, DRNYB, RNYD, RD.

Q: Where are TLC Insulated Ring Terminals made?

A: TLC Insulated Ring Terminals are made in China.

Q: Are TLC Insulated Ring Terminals certified?

A: Yes, TLC Insulated Ring Terminals are certified by UL, CUL, CE.

Q: What is the minimum order quantity of TLC Insulated Ring Terminals?

A: The minimum order quantity of TLC Insulated Ring Terminals is 1000.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City