

2.5-6.0mm² Non Insulated With Brazed Seam Ring Terminals OT ROUNG Cable Terminals

Our Product Introduction

for more products please visit us on cableslugs.com


Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNB, DRNB, OT
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: Carton
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 1KK pcs per month



Product Specification

- Material: Copper
- Temperature Rating: 105°C
- Color: Silver
- RoHS Compliant: Yes
- Insulation: Non-Insulated
- Tin Plated: Yes
- Product Name: Non Insulated Ring Terminals
- Barrel Type: Closed
- Highlight: **Round Cable Terminals With Brazed Seam 6mm²**
, 2.5mm² electrical ring terminals,
6mm² Non Insulated electrical ring terminals



More Images




Product Description



Non-Insulated with Brazed Seam

OT ROUND TERMINALS

Material
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE		ITEM NO	DIMENSION mm								P/N	QTY BOX			
	mm2 (A.W.G)	Metric		American	E	W	d	D	B	F	L			T		
1.5-2.5 (16-14)	6	1/4"	OT2.5-6	6.5	12.0	2.6	4.2	5.0	11.0	22.0	0.8	T-12093122	1000			
	8	5/16"	OT2.5-8	8.5	15.0				13.0	25.5		T-12093123				
2.5-4 (14-12)	3	#4	OT3-3	3.3	5.7	2.7	4.7	5.0	5.0	12.0	1.0	T-12093124	1000			
	4	#8	OT3.5-4	4.3	9.5	3.2	5.6	6.8	8.8	20.0	0.8	T-12093125				
	5	#10	OT3.5-5	5.5								T-12093126				
	6	1/4"	OT3.5-6	6.5	12.0				9.8	21.4		T-12093127				
	8	5/16"	OT3.5-8	8.5								T-12093128				
2.5-4 (14-12)	3	#4	OT4-3	3.3	5.7	3.1	5.1	6.0	7.4	17.0	1.0	T-12093129	1000			
	4	#8	OT4-4	4.3	10.0	3.2	5.2	6.5	8.0	20.0		T-12093130				
	5	#10	OT4-5	5.5								T-12093131				
	6	1/4"	OT4-6	6.5	12.0				11.0	23.0		T-12093132				
	8	5/16"	OT4-8	8.5	15.0				13.0	26.5		T-12093133				
	10	3/8"	OT4-10	10.5	18.0				16.0	31.0		T-12093134				
4-6 (12-10)	3	#4	OT5-3	3.7	9.5	4.3	5.6	7.0	13.0	20.0	1.0	T-12093135	1000			
	4	#8	OT5-4	4.3								T-12093136				
	5	#10	OT5-5	5.5								T-12093137				
4-6 (12-10)	4	#8	OT6-4	4.3	12.0	4.2	6.2	7.0	6.0	21.0	1.0	T-12093138	1000			
	5	#10	OT6-5	5.5					9.0	22.0		T-12093139				
	6	1/4"	OT6-6	6.5	15.0				11.0	24.0		T-12093140				
	8	5/16"	OT6-8	8.5					15.0	13.0		27.5		T-12093141		
	10	3/8"	OT6-10	10.5	18.0				16.0	32.0		T-12093142				

Product Description:

Non-insulated terminals are durable, reliable connectors used to join or fasten a wire. These metal pieces have no electrical insulation, and are used in a variety of settings such as electrical and electronic equipment, automotive systems, and household appliances. The sturdiness and low cost of non-insulated terminals make them desirable for wiring projects across the world. The simple but efficient design allows for straightforward installation and maintenance, making them desirable for technicians, technicians, and DIYers alike. They fare better than insulated terminals in areas where frequent contact with moisture and corrosion can degrade electrical insulation within a short time. Running electrical currents or signals through non-insulated terminals is an effective, streamlined solution

Features:

Non-insulated terminals are usually made of conductive materials like **copper**, **aluminum** and other conductive materials. They boast excellent conductivity profiles to ensure reliable electrical connections. Plus, these terminals come in various shapes and sizes, such as **round**, **flat**, **U-shaped** and **F-shaped** to fulfill diverse connection needs. What's more, non-insulated terminals can be installed by **bolting**, **crimping** or **welding** nexus wires.

Applications:

Non-insulated terminals are useful for a variety of purposes in the electronics industry and automotive industry. They provide a great way to secure wires in their desired position to prevent any movement or loosening. This is especially important when electrical or mechanical components are connected together. Non-insulated terminals have a reasonably designed construction which makes them easy to install and use.

In most cases, U-shaped terminals are particularly useful for this purpose. They are designed so that they can clip the wires into place. Then the terminal can be secured to the device, most often using bolts or other fixtures. This allows for a strong and reliable connection between the two components.

Customization:

Customized Non Insulated Ring Terminals by TLC

Customize your Non Insulated Ring Terminals with TLC, and choose from the TLC Models RNB, DRNB, and OT. With UL, CUL, and CE certification, these Ring Terminals are RoHS Compliant, have a temperature rating of 105°C, and are made of Copper in Silver color. The minimum order quantity is 1000 pieces, and the price is USD. Carton packaging is available, with a delivery time of 5-30 working days, payment via T/T, and a supply ability of 1KK pcs per month.

Support and Services:

Non Insulated Ring Terminals Technical Support and Service

We offer technical support and service for our Non Insulated Ring Terminals. Our technical team is available for questions or concerns about installation, troubleshooting, and usage of our products, and they can provide guidance to ensure that you get the most out of your purchase.

We also offer warranty services for our Non Insulated Ring Terminals. If you encounter any issues with the product within the warranty period, please contact us immediately. We will work with you to identify the problem and provide a resolution as quickly as possible.

Packing and Shipping:

Packaging and Shipping of Non Insulated Ring Terminals

Non Insulated Ring Terminals are typically packaged in small boxes or small plastic storage containers with dividers. The boxes or containers are then placed in larger boxes or cartons for shipping.

The boxes or containers used for storing Non Insulated Ring Terminals must be strong enough to protect the items from damage during transit. They should also be sealed properly to ensure that the terminals are not exposed to moisture or other environmental elements.

The outer boxes or cartons used for shipping should be clearly labeled with the shipping address and other relevant information. It should also be clearly marked to indicate that the contents are Non Insulated Ring Terminals.

When shipping Non Insulated Ring Terminals, it is important to use a reliable courier service that can guarantee the safe delivery of the items. It is also important to ensure that all the necessary paperwork related to the shipment is completed correctly.

FAQ:

Q: What is the brand name of the Non Insulated Ring Terminals?

A: The brand name of the Non Insulated Ring Terminals is TLC.

Q: What are the model numbers of the Non Insulated Ring Terminals?

A: The model numbers of the Non Insulated Ring Terminals are RNB, DRNB, and OT.

Q: Where are the Non Insulated Ring Terminals manufactured?

A: The Non Insulated Ring Terminals are manufactured in China.

Q: What certifications do the Non Insulated Ring Terminals have?

A: The Non Insulated Ring Terminals have UL, CUL, and CE certifications.

Q: What is the minimum order quantity for the Non Insulated Ring Terminals?

A: The minimum order quantity for the Non Insulated Ring Terminals is 1000.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City