

Nylon Insulated Ring Terminals With Brazed Seam DIN 46237 Ring Cable Lugs 2.5-10mm²

Our Product Introduction

for more products please visit us on cableslugs.com

Basic Information

- Place of Origin: CHINA
- Brand Name: TLC
- Certification: UL, CUL, CE
- Model Number: RNY, DRNYB, RNYD, RD
- Minimum Order Quantity: 1000
- Price: USD
- Packaging Details: bag, carton package
- Delivery Time: 5-30 working days
- Payment Terms: T/T
- Supply Ability: 500K - 3KK pcs per month



Product Specification

- Manufacturer: TLC
- Barrel Type: Crimped
- Stud Type: Tin Plated
- Packaging Type: Carton
- Color: Red, Yellow, Blue, Black, Green
- Packaging Quantity: 1000-50 Pieces
- Product Name: Insulated Ring Terminals
- Insulation: Vinyl, Nylon
- Highlight: **Nylon Insulated Ring Terminals,
Insulated Ring Terminals With Brazed Seam,
DIN 46237 Ring Cable Lugs**




Product Description



Nylon Insulated with Brazed Seam

RING TERMINALS
DIN 46237

Material
Insulation: Nylon
Terminal Body: Copper
Plating: Tin



WIRE RANGE	STUD SIZE	ITEM NO.	DIMENSION mm							COLOR	STANDARD	TOOLS	QTY BOX
			d2	W	I	d1	D	E	T				
1.5-2.5	4	DRNYB4-2.5	4.3	8.0	18.0	2.3	4.5	11.0	0.8	Blue	UL	TLC MODEL TLC2000A HRI-126J WITH DIE INDEX COLOR: BLUE OR IZUMI MODEL 34 WITH DIE INDEX COLOR: BLUE	1,000
	5	DRNYB5-2.5	5.3	10.0	19.5								
	5	DRNYB5-2.5	5.3	10.0	20.0								
	6	DRNYB6-2.5	6.5	11.0	22.0								
	8	DRNYB8-2.5	8.4	14.0	23.0								
	10	DRNYB10-2.5	10.5	15.0	24.5								
	10	DRNYB10-2.5	10.5	18.0	26.0								
	12	DRNYB12-2.5	13.0	22.0	26.0								
2.5-6	4	DRNYB4-6	4.3	8.0	21.0	3.6	6.4	13.0	1.0	Yellow	UL	TLC MODEL TLC 2000A HRI-126J WITH DIE INDEX COLOR: YELLOW OR IZUMI MODEL 5 WITH DIE INDEX COLOR: YELLOW	500
	5	DRNYB5-6	5.3	10.0	22.0								
	6	DRNYB6-6	6.5	11.0	23.0								
	8	DRNYB8-6	8.4	14.0	26.0								
	10	DRNYB10-6	10.5	18.0	28.0								
	12	DRNYB12-6	13.0	22.0	28.0								
10	5	DRNYB5-10	5.3	10.0	24.5	4.5	8.0	16.5	1.1	Red	UL	TLC MODEL TLC-HDC38A WITH DIE INDEX (INSER)	500
	6	DRNYB6-10	6.5	11.0	25.5								
	8	DRNYB8-10	8.4	14.0	28.5								
	10	DRNYB10-10	10.5	18.0	29.5								
	12	DRNYB12-10	13.0	22.0	31.5								

TLC TERMINALS INC
Terminals

Product Description:

Insulated ring terminals are electrical connectors that perfectly cater to connecting wires to a terminal block or stud securely. They are designed in the shape of a circle with a hole in the center, thus making it possible to attach them to a screw or bolt without encountering any difficulty. Further, ring terminals are made of metal and possess an insulating covering that keeps them safe from corrosion and electrical issues.

The insulated coating increases the conductivity of the terminals. This effectively reduces the resistance, thus resulting in a more efficient electrical connection. Moreover, these terminals are easy to install and reusable, making them an ideal choice for a variety of applications. All these features ensure that insulated ring terminals always hit the spot when it comes to keeping your electrical connection safe and reliable.

Features:

The terminals of electric cables are often insulated with materials such as PVC or nylon for protection. This insulation serves two main functions: protecting the wires from damage and preventing short circuits.

The insulation also provides electrical insulation, which ensures the connection is safe and reliable. With this protection, users can count on the cables to operate correctly and without any safety risks.

Applications:

Insulated ring terminals are one of the most versatile electrical connectors. They are ideal for use in automotive, marine, industrial or electrical projects as they are available in different sizes to fit various wire gauges and studs. To ensure a secure and long-lasting connection, the wire must be properly stripped before inserting into the terminal. Thereafter, a crimping tool can be used to crimp the terminal onto the wire. This secure terminal also makes attaching it to a terminal block or stud easy using a screw or bolt.

Support and Services:

Insulated Ring Terminals provide technical support and service to ensure the reliability and performance of the product. Our technical support and service includes:

- Installation and repair support
- Product testing and quality assurance
- Customer service and technical assistance
- In-house and on-site training
- Product maintenance and upgrades
- Product customization
- Warranty and product replacement

Packing and Shipping:

Packaging and Shipping for Insulated Ring Terminals

Insulated ring terminals are securely packaged and shipped with the utmost care to ensure that the product arrives in perfect condition. The terminals are packaged in durable cardboard boxes with enough space to prevent any damage due to movement during transit. Additionally, the terminals are further wrapped in bubble wrap for extra protection. The boxes are then sealed with packing tape for added security.

All orders of insulated ring terminals are shipped via a reliable courier service. Orders are usually shipped within 24 hours of receiving payment, and customers are provided with a tracking number to monitor the progress of the shipment. Depending on the destination, delivery usually takes between 3-5 business days.

FAQ:

Q1: What is the Brand name of Insulated Ring Terminals?

A1: The brand name of Insulated Ring Terminals is TLC.

Q2: What is the Model Number of Insulated Ring Terminals?

A2: The model number of Insulated Ring Terminals is RNY, DRNYB, RNYD, RD.

Q3: Where is the Place of Origin of Insulated Ring Terminals?

A3: The place of origin of Insulated Ring Terminals is China.

Q4: What are the Certifications of Insulated Ring Terminals?

A4: The certifications of Insulated Ring Terminals are UL, CUL, CE.

Q5: What is the Minimum Order Quantity of Insulated Ring Terminals?

A5: The minimum order quantity of Insulated Ring Terminals is 1000 pieces.



TLC TERMINALS TECHNOLOGY LIMITED



+8615338876153



joe@t-terminals.com



cableslugs.com

4B Huafeng Industrial Park Baolong 1 Road Baolong Street, Longgang District, Shenzhen City